

Sec. 13

WIRE LOOM CLIPS (ILLUSTRATIONS ACTUAL SIZE)

Vinyl (PVC) Cushion
Clips Are Recommended
For Underhood Or
High Heat Applications



18161
Phosphate

Wire Loom Clips
With Vinyl (PVC) Cushion
Truck Body Frame

UNIT PACKAGE: 25



18160
Phosphate

Wire Loom Clips
With Vinyl (PVC) Cushion
Truck Body Frame

UNIT PACKAGE: 25



18162
Phosphate

Wire Loom Clips
With Vinyl (PVC) Cushion
Truck Body Frame

UNIT PACKAGE: 25



18159
Phosphate

Wire Loom Clips
With Vinyl (PVC) Cushion
Truck Body Frame

UNIT PACKAGE: 25



2382

Wire Loom Clips
Clamps two 3/16" wires

UNIT PACKAGE: 100



1340

Wire Loom Clips
1/4" Clamping Dia.

UNIT PACKAGE: 100



1341

Wire Loom Clips
3/16" Clamping Dia.

UNIT PACKAGE: 100



3758

Wire Loom Clips
3/8" Clamping Dia.

UNIT PACKAGE: 100



2306

Wire Loom Clips
All Cars - All Models


UNIT PACKAGE: 100



14388
(145525)

Heavy Duty Frame Wiring Clip
3/16" Clamping Diameter
Fits panels from .030"-.230"

UNIT PACKAGE: 50



12229
(ELOB-66454A30-AA)

Wire Harness Retainer Clip
Ford 1980-On

UNIT PACKAGE: 25



3759

Wire Loom Clips
All Cars - All Models

UNIT PACKAGE: 50



9864

(372741-S100)
General Purpose Wire Loom Clip


UNIT PACKAGE: 100



9865
(373415)


General Purpose Wire Loom Clip

UNIT PACKAGE: 100



Nylon Cable Clips

Auveco Part No.	Cable Size	Screw Size	Unit Pkg.
13939	3/16"	#8-10	50
13940	1/4"	#8-10	50
13941	5/16"	#8-10	50
13944	1/2"	#8-10	50

Nylon Tubing & Hose Clips
Adhesive Backed

Auveco Part No.	Range	Unit Pkg.
10057	5/32" to 1/4"	10
10058	5/16" to 1/2"	10
10059	9/16" to 3/4"	10

**13937**


Nylon Spring Clip

Width: 3/8"
Overall Length: 1-5/16"
Thickness: .060
Use w/ #8 Screw

UNIT PACKAGE: 50

Cable Clips For Co-Ax Cable

Polyethylene clips with corrosion
resistant galvanized steel nail.



**15854**

3/16"-9/32" Cable Dia.
Nail Length: 1"

UNIT PACKAGE: 50

Strain-Relief Cable Connector


Reliable, liquid-tight, nylon strain-relief cable connector for quick and easy installation. They do not have to be disassembled before using. Simply insert a cable into the connector, tighten the cap nut and the cable is automatically fixed, centered, sealed and strain relieved.



Auveco Part No.	Wire Dia.	Thread	Thread Length (Bottom)	Hex	Unit Pkg.
15851	.236" - .472"	1/2" NPT	.512"	.945"	5

ROUTING CLIPS
Wire Loom Routing Clips

Black Nylon routing clips for wire loom (also called split flexible tubing, convoluted conduit or wiring harness).



Auveco Part No.	Type	For Conduit Size.		GM No.	Unit Pkg.
		I.D.	O.D.		
19440	3	1/4"	3/8"	12040984	15
19795	4	1/4"	3/8"	12015631	15
14544	1	11/32"	1/2"	8911473	25
20397*	6	10mm	13mm	12160858	15
20471	4	10mm	13mm	8905794	15
14545	1	13/32"	19/32"	8911497	25
14546	1	1/2"	11/16"	8911472	25
19851	5	1/2"	11/16"	12040983	15
14547	1	3/4"	1"	3816659, 8917320	25
20665	7	19mm	24mm	12160374	15
16941	2	1"	1-9/32"	12015983	25

*Gray Nylon

Routing Clips



A quick, economical method of fastening wires, tubes, hoses or rods from 1/4" to 1" diameter to metal, plastic or any other surface ranging from 1/32" to 1/8" thickness. Clips are molded of durable black nylon plastic. They snap into 1/4" diameter holes and are held firmly in place by flexible "snubber tips" which compensate for variation in wall thickness.

Auveco Part No.	Tube/Hose/Wire Outside Diameter	Clip Overall Height	Clip Height Above Panel	Unit Pkg.
14529	1/4"	27/32"	7/16"	25
14530	3/8"	29/32"	15/32"	25
14531	1/2"	1-1/16"	5/8"	25
14532	5/8"	1-3/16"	3/4"	25
14533	3/4"	1-5/16"	7/8"	25
14534	1"	1-19/32"	1-5/32"	25



5879

Wiring Harness Strap
5" Long, Natural Nylon

UNIT PACKAGE: 25



8550

Wire Loom Horn & Battery Fastener
2-1/4" Long, Black Nylon

UNIT PACKAGE: 25



3690

Windshield Washer & Cable to Headlamp and Voltage Regulator
Strap

3-1/2" Long, Natural Nylon

UNIT PACKAGE: 100



8272

2-3/4" Long
For 1/4" Hole
In .093" Thick Metal
Black Nylon

UNIT PKG: 50

8273

2-3/4" Long
For 1/4" Hole
In .115" Thick Metal
Black Nylon

UNIT PKG: 50



5853


(4000305)
2-7/8" Long
Natural Nylon

UNIT PKG: 50

9115

4" Long
Black Nylon

UNIT PKG: 50




10649

(3816659)

6-1/2" Long
Black Nylon

UNIT PACKAGE: 10



1 Feed Cable Tie in
Tool Head, Pull
Trigger To Tension.

14568

Cable Tie Tool



2 Hold Trigger
Tension And Twist
Tool 1/2 Turn

A light-weight, durable
hand tool that's perfect
for installing cable ties.
The tool works on 18
pound, 30 pound, 40
pound, and 50 pound
tensile rated cable ties.
Measures 6-1/4" long.
Made of rugged
plastic.

UNIT PACKAGE: 1

Self-Clamping Natural Nylon Straps (Reusable)




Auveco Part No.	Tensile Strength	Strap Length	Max Bundle Dia.	Width	Unit Pkg.
10217	18 lb.	3-7/8"	3/4"	3/32"	10
9636	50 lb.	6-5/8"	1-3/4"	3/16"	10
9637	50 lb.	14-7/8"	4"	3/16"	10
10218	120 lb.	14-1/2"	4"	9/32"	10

Black Nylon Cable Ties Self Clamping



Auveco Part No.	Tensile Strength	Length	Width	Unit Pkg.
15144	18 lb.	4"	3/32"	100
15196	18 lb.	4"	3/32"	1000
15145	30 lb.	5-1/2"	1/8"	100
15197	30 lb.	5-1/2"	1/8"	1000
15146	50 lb.	7"	3/16"	50
15198	50 lb.	7"	3/16"	1000
15147	50 lb.	11"	3/16"	50
15199	50 lb.	11"	3/16"	500
15753	50 lb.	14"	3/16"	25
15148	120 lb.	14"	5/16"	25
15200	120 lb.	14"	5/16"	500

Natural Nylon Cable Ties Self Clamping



Auveco Part No.	Tensile Strength	Length	Width	Unit Pkg.
11953	18 lb.	3"	3/32"	50
11954	18 lb.	4"	3/32"	50
14836	18 lb.	4"	3/32"	100
15188	18 lb.	4"	3/32"	1000
11955	30 lb.	5"	1/8"	50
14837	30 lb.	5"	1/8"	100
15189	30 lb.	5"	1/8"	1000
11956	50 lb.	7"	5/32"	25
14838	50 lb.	7"	5/32"	50
15190	50 lb.	7"	5/32"	1000
11957	50 lb.	11"	5/32"	25
14839	50 lb.	11"	5/32"	50
15191	50 lb.	11"	5/32"	500
15754	50 lb.	14"	5/32"	25
11958	120 lb.	14"	9/32"	10
14840	120 lb.	14"	9/32"	25
15192	120 lb.	14"	9/32"	500

Black Nylon-Cable Ties Self-Clamping With Mounting Hole




Auveco Part No.	Tensile Strength	Length	Screw Hole Size	Width	Unit Pkg.
15149	30 lb.	6"	#8	1/8"	50
15201	30 lb.	6"	#8	1/8"	500
15150	50 lb.	7-1/2"	#10	3/16"	50
15202	50 lb.	7-1/2"	#10	3/16"	250
15151	120 lb.	14-3/4"	#14	5/16"	25
15203	120 lb.	14-3/4"	#14	5/16"	200

Natural Nylon-Cable Ties Self-Clamping With Mounting Hole



Auveco Part No.	Tensile Strength	Length	Screw Hole Size	Width	Unit Pkg.
11960	30 lb.	5"	#8	1/8"	50
15193	30 lb.	5"	#8	1/8"	250
11961	50 lb.	7"	#10	5/32"	50
15194	50 lb.	7"	#10	5/32"	250
11963	120 lb.	13"	#14	9/32"	10
15195	120 lb.	13"	#14	9/32"	100

12360 Natural Nylon



Ideal for light duty applications, it uses a #6 flat head screw or 1/8" flat head rivet. The mount features a 4 way insertion and accepts 18, 30, and 50 pound cable ties. Size: 1" x 1"

UNIT PACKAGE: 10

These 4 way insertion mounts offer the same features as our 12360 mount with the addition of a pressure sensitive adhesive on the back. Size: 1" x 1"

12361 Natural Nylon

UNIT PKG: 10



16001 Black Nylon

UNIT PKG: 10



12362 Natural Nylon

A low profile cable tie mount that accommodate any 18, 30 or 50 pound tie. Attach the mount with a #8 screw and slip the tie through (under) the mount.

UNIT PACKAGE: 25

OIL DRAIN PLUG GASKETS

Sec. 13



Steel With Rubber Seal Oil Drain Plug Gaskets

Auveco Part No.	I.D.	O.D.	Thick- ness	Unit Pkg.
16026	1/2"	1"	3/64"	5
18299	14mm	25mm	1mm	10
18931	16mm	24mm	2mm	10
18932	18mm	27mm	2mm	10



Oil Drain Plug Rubber Gaskets

18665
I.D.: 11mm
O.D.: 21mm
Replacement Gasket
For Auveco No.
18663,
18664 & 20372
GM 12mm-1.75
Oil Drain Plugs

UNIT PACKAGE: 10

19630
I.D.: 11mm
O.D.: 25mm
Replacement Gasket
For Auveco No.
18023
GM 12mm-1.75
Oil Drain Plugs

UNIT PACKAGE: 10

20896
Not Supplied By O.E.M.

I.D.: 13mm
O.D.: 19mm
Replacement Gasket For
Auveco No. 19773
M14-1.5 Oil Drain Plugs

UNIT PACKAGE: 10

20453
(F5TZ-6734-BA)

I.D.: 13mm, O.D.: 22mm
Replacement Gasket
For Auveco
No. 19279
M14-1.5 Oil Drain Plugs

UNIT PACKAGE: 10



Fibre



Metal

Oil Drain Plug Gaskets

On vehicles equipped with aluminum gaskets, a new aluminum gasket must be installed at each oil change

Auveco Part No.	I.D.	O.D.	Thick- ness	Mat.	Unit Pkg.
19538	1/2"	3/4"	5/64"	Bk. Fibre	50
8277	1/2"	3/4"	3/32"	Nylon	25
15918	1/2"	7/8"	1/16"	Copper	25
19590	1/2"	7/8"	1/16"	Alum	25
16996	1/2"	15/16"	1/16"	Nylon	25
18019	1/2"	15/16"	5/64"	Fibre	50
19539	9/16"	13/16"	5/64"	BK. Fibre	50
8281	9/16"	13/16"	3/32"	Nylon	25
15919	9/16"	13/16"	3/32"	Copper	25
8278	5/8"	1"	3/32"	Nylon	25
18021	3/4"	1"	1/16"	Copper	25
8279	3/4"	1-1/16"	3/32"	Nylon	25
18849	12mm	21mm	1.8mm	Steel*	5
16680	12mm	22mm	1.5mm	Nylon	50
19591	12mm	22mm	1.5mm	Copper	15
19601	12mm	22mm	1.5mm	Alum	50
18726	12mm	22mm	2mm	Bk. Fibre	50
17628	12mm	22mm	2.5mm	Grn Fibre	25
19621	14mm	20mm	1mm	Alum	50
20454	14mm	20mm	1.5mm	Copper	15
19592	14mm	24mm	1.5mm	Copper	15
16956	14mm	22mm	2mm	Alum.	50
16681	14mm	24mm	1.5mm	Nylon	50
18828	14mm	24mm	1.5mm	Grn Fibre	25
16682	14mm	24mm	2mm	Bk Fibre	50
19604	16mm	22mm	1.5mm	Copper	15
19603	16.4mm	27mm	2mm	Bk Fibre	50
16683	16.5mm	27mm	1.5mm	Nylon	50
20462	18mm	24mm	1.2mm	Aluminum	25
16955	18mm	25.5mm	2mm	Alum	50
16957	18mm	28mm	2mm	Grn Fibre	50
16684	18mm	29mm	1.5mm	Nylon	50
19605	18mm	26mm	1.5mm	Copper	10
18829	18mm	29mm	1.5mm	Grn Fibre	25
19139	20mm	26mm	2mm	Steel	15
16685	20mm	28mm	1.5mm	Nylon	50
19593	20mm	25mm	1.6mm	Copper	10
18830	20mm	28mm	1.5mm	Grn Fibre	25
18020	25.5mm	35mm	2mm	Bk Fibre	50

* Teflon coated steel



Oil Drain Plug Crushable Gaskets

Auveco Part No.	I.D.	O.D.	Thick- ness	Material	Unit Pkg.
19545	1/2"	3/4"	5/64"	Copper	10
19319	12mm	17mm	2mm	Steel	15
17261	12mm	18mm	2mm	Copper	10
19007	14mm	19mm	2mm	Steel	10
17262	14mm	20mm	2mm	Copper	10
17263	16mm	22mm	2mm	Copper	10
17264	18mm	24mm	2mm	Copper	10
21116	18mm	24mm	2.5mm	Steel	10
17265	20mm	26mm	2mm	Copper	10

Sec. 13 OIL & TRANSMISSION DRAIN PLUGS (WITH GASKETS)

14196

Plain

Thread: 1/2"-20

Hex: 7/8"

Length Under Head: 1/2"

Fits the following 1/2"-20 applications:

AMC

6 & 8 Cyl. All 64-On

Buick

4, 6 & 8 Cyl. All [Exc. 2.5 (151), 3.0, 4.3, 4.9 (301 Eng.)] 59-On

Cadillac

6 & 8 Cyl. All (Exc. 4.1 Eng) 66-On

Chevrolet (Includes Light Truck)

4, 6 & 8 Cyl. All [Exc. 1.8 (diesel), 2.5 (151), 4.3 (diesel) Eng.] 28-On

Chrysler Corp.

6 & 8 Cyl. All 62-On

Ford Motor Co.

4, 6 & 8 Cyl. All (Exc. 98, 122, 140, 171 Eng) 57-On

GMC (Light Truck) 6 & 8 Cyl. All 39-On

Oldsmobile

4, 6 & 8 Cyl. All [Exc. 2.5 (151), 3.0, 4.3, (diesel), 4.3S, 4.9T (301)] 61-On

Pontiac

4, 6, & 8 Cyl. All [Exc. 1.8 (diesel), 2.5 (151), 4.3 (diesel), 4.3S, 4.9T (301)] 60-On

UNIT PACKAGE: 10



18373

(6034376)

Plain With Rubber Washer Face Gasket

Thread: 1/2"-20

Hex: 5/8"

Length Under Head: 13/16"

Rubber Gasket O.D.: 1-3/32"

Fits the following applications:
Chrysler

UNIT PACKAGE: 2



18022

(948187-0)

Zinc

Thread: 3/4"-16

Hex: 1"

Length Under Head: 1/2"

Fits the following applications:
Volvo: 4 Cyl.

UNIT PACKAGE: 2



19318

(Jeep: 83504041;
Lexus: 90341-10006,
90341-10012)
Zinc & Yellow

Thread: M10-1.5; Hex: 14mm

Length Under Head: 9mm

Fits the following transmission applications:

Jeep Cherokee, Comanche & XJ 1991-On

Lexus GS300, LS400 & SC400 1991-On

UNIT PACKAGE: 2



20807

(F81Z-6730-AA)

Plain With Rubber Washer Face Gasket

Thread: M10-1.5

Hex: 13mm

Length Under Head: 15mm

Rubber Gasket O.D.: 28mm

Fits the following 4R100 transmission applications:
Ford E150-450, F150-450 Excursion & Expedition 1980 - On

UNIT PACKAGE: 1



15527

Zinc

Thread M12-1.25

Hex: 14mm

Length Under Head: 11mm

Washer Head O.D.: 20mm

Fits the Following M12-1.25 applications:

Nissan

Sentra, Stanza & Pulsar w/ FWD 82-On

UNIT PACKAGE: 5



19589

Zinc

Thread M12-1.5

Hex: 13mm

Length Under Head: 12mm

Washer Head O.D.: 17mm

Fits The Following Applications:
BMW & Mercedes

UNIT PACKAGE: 5



19588

Zinc

Thread: M12-1.25

Hex: 14mm

Length Under Head: 17mm

Washer Head O.D.: 20mm

Fits The Following Applications:
Nissan

UNIT PACKAGE: 5



18023

(21006725)

Black Zinc With Rubber Gasket

Thread: M12-1.75


Hex: 14mm

Length Under Head: 19mm

Rubber Gasket O.D.: 31mm

Fits the following application:
GM: Saturn

UNIT PACKAGE: 2



19130

(3921988)

Plain

Thread: 1/2"-20

Hex: 9/16"

Length Under Head:

13/16"

Washer Head O.D.: 7/8"

Buick

4, 6 & 8 Cyl. All [Exc. 2.5(151) 3.0, 4.3, 4.9 (301 Eng.)] 59-On

Cadillac

6 & 8 Cyl. All (Exc. 4.1 Eng) 66-On

Chevrolet (Inc. GMC Light Truck)

4, 6 & 8 Cyl. All [Exc. 1.8 (diesel), 2.5 (151), 4.3 (diesel) Eng.] 28-On

Oldsmobile

4, 6 & 8 Cyl. All [Exc. 1.8 (diesel), 2.5 (151), 3.0, 4.3, (diesel), 4.3S, 4.9T (301)Eng.] 61-On

Pontiac

4, 6 & 8 Cyl. All [Exc. 1.8 (diesel), 2.5 (151), 4.3 (diesel), 4.3S, 4.9T (301)Eng.] 60-On

UNIT PACKAGE: 15



21093

(24233099)
Zinc With
Rubber Gasket



Thread: M12-1.75
Hex: 15mm
Length: Under Head: 20mm
Washer Head O.D.: 32mm

Fits the following applications:
4L80-E Transmissions on
Chevrolet 2 WD Full Size Vans
& Pickup Trucks 97 - On

UNIT PACKAGE: 2



18374

(F5AZ-6730)
Plain With Rubber
Washer Face Gasket

Thread: M12-1.75
Hex: 15mm
Length Under Head: 21mm
Rubber Gasket O.D.: 28mm

Fits the following applications:
Ford 2.5, 3.0 & 4.6 Eng.
With Modular & Aluminum Pans

UNIT PACKAGE: 2



20347

(YS4Z-6730AA)
Plain With
Rubber Gasket

Thread: M12-1.75
Hex: 13mm
Length Under Head: 25mm
Washer Head O.D.: 26mm
Fits the following applications:
Ford 1999 - 93

UNIT PACKAGE: 2




21047

(GM: 3536964, 3538469,
11519408, 11562588, 24100042;
Isuzu: 8-11519-408-0)
Zinc With
Rubber Gasket

Thread: M12-1.75
Hex: 15mm
Length: Under Head: 25mm
Washer Head O.D.: 26mm

Fits the following applications:
GM 2.2 (4), 3.1 (M), 3.8 (K), 3.8 (1),
2.3, 4.9 & 6.0L Eng. 1985 - On

UNIT PACKAGE: 2



14677

Zinc

Thread: M12-1.75
Hex: 15mm
Length Under
Head: 26mm
Washer Head O.D.: 22mm

Fits the following
M12-1.75 applications:
Buick
4 Cyl. 151 (2.5) Eng. 80-On
6 Cyl. 3.0, 4.3 (Diesel) Eng. 82-On
8 Cyl. 4.3, 4.9 Eng. 81-77

Cadillac
8 Cyl. 4.1 Eng. 82-On

Chevrolet
4 Cyl. 151 (2.5) Eng. 78-On
6 Cyl. 4.3 (Diesel) Eng. 82-On

Oldsmobile
4 Cyl. 151 (2.5) Eng. 78-On
6 Cyl. 3.0, 4.3 (Diesel) Eng. 82-On
8 Cyl. 4.3S, 4.9T (301) Eng. 80-79

Pontiac
4 Cyl. 151 (2.5) Eng. 77-On
6 Cyl. 4.3 (Diesel) Eng. 82-On
8 Cyl. 4.3S, 4.9T (301) Eng. 81-77

UNIT PACKAGE: 5



18024

Zinc

Thread: M14-1.25
Hex: 13mm
Length Under Head: 16mm
Washer Head O.D.: 23mm

Fits the following applications:
Jeep

UNIT PACKAGE: 5



16308

Zinc

Thread: M14-1.5
Hex: 16mm
Length Under Head: 11mm
Washer Head O.D.: 25mm

Fits The Following
M14-1.5 Applications:
Chrysler Imports 83-On

Honda 83-On

Isuzu 87-On

Mazda 72-On

Spectrum 88-On

Sprint 88-On

VW-Audi 74-On

UNIT PACKAGE: 5



20426

(90009-PY3-000)
Zinc & Yellow
With Aluminum
Gasket

Thread: M14-1.5
Hex: 17mm
Length Under Head: 15mm
Washer Head O.D.: 24mm

Fits the following M14-1.5
Applications:
Acura & Honda 2000 - On

UNIT PACKAGE: 5

Sec. 13 OIL & TRANSMISSION DRAIN PLUGS (WITH GASKETS)

18025

(E9DZ-6730-B)
Zinc

Thread: M14-1.5
Hex 13mm
Length Under Head: 16mm
Washer Head O.D.: 23mm

Fits the following applications:
Ford: Escort

UNIT PACKAGE: 5



19773

(F75Z-6730-BA)
Phosphate With
Rubber Gasket

Thread: M14-1.5
Hex: 16mm
Lgth Under Hd: 20mm
Washer Hd O.D.: 28mm

Fits the following applications:
Ford Vans & Trucks
With 6.8L Eng. 2000-96

UNIT PACKAGE: 1



18026

(601-997-02-30)
Zinc

Thread: M14-1.5
Hex: 13mm
Length Under Head: 24mm
Washer Head O.D.: 19mm

Fits the following applications:
Mercedes: 300 Series

UNIT PACKAGE: 2



18375

(6503433)
Plain With
Rubber Washer
Face Gasket

Thread: M14-1.50
Hex: 17mm
Length Under Head: 18mm
Rubber Gasket O.D.: 28mm

Fits the following applications:
Chrysler 1.5 & 2.0 Eng.

UNIT PACKAGE: 2



19279

(Chrysler:
6507741AA;
Ford:
F6TZ-6730BA)
Phosphate
With Rubber Gasket

Thread M14-1.50
Hex: 13mm
Lgth Under Hd: 20mm
Washer Hd O.D.: 28mm

Fits the following applications:
Chrysler with 2.0(F), 2.4(B,G,8),
2.7(R,T), 3.3(G,S,3) & 3.5(G,4)
Eng. 2000 - On
Ford Aerostar, Explorer & Ranger
6 Cyl. 4 Ltr. Eng. 1996-On

UNIT PACKAGE: 2




15528

Zinc

Thread M16.4-1.33 O.S.
Hex 19mm
Length Under Head: 13mm
Washer Head O.D.: 26mm

Fits the Following M16.4 O.S.
applications:
Nissan: All (Exc. Sentra, Stanza &
Pulsar w/FWD 62-On
Renault: Fuego & LeCar 80-On

UNIT PACKAGE: 5



20746

(VW: N90813201)
Zinc With
Sems® Gasket

Thread: M14-1.5
Hex: 19mm
Length Under Head: 20mm
Sems® Washer O.D.: 20mm

Fits the following applications:
Audi Cabriolet & Quattro with 1.8,
1.9, 2.0, 2.7, 2.8, & 3.0 Eng.
VW Beetle, Eurovan, Golf, Jetta,
Passat & Touareg with 1.8, 1.9, 2.0,
2.8, 3.2 & 4.0 Eng.

UNIT PACKAGE: 2




14678

Zinc

Thread M14-1.5
Hex 16mm
Lgth Under Hd: 20mm
Washer Hd O.D.: 25mm

Fits the following
M14-1.5 applications:
AMC
4 Cyl. VW 121 Eng. 79-77
Chevrolet
4 Cyl. 1.8 (Diesel) Eng. 81-On
Chrysler Corp (Exc. Imports)
4 Cyl. All 78-On
Chrysler Corp. Imports
4 Cyl. All 83-On
4 Cyl. K & W Engines
(built after 10-81) 82
Ford Motor Co.
4 & 6 Cyl. 98, 122, 140, 171 Eng.
73-On
Honda 4 Cyl. Prelude 83-On
Mazda 4 Cyl. All 72-On
Pontiac 4 Cyl. 1.8 (Diesel) 83-On
Volkswagen
4 Cyl. All (Water Cooled Engine)
74-On

UNIT PACKAGE: 5




15529

Zinc

Thread: M18-1.5
Hex: 19mm
Length Under Head: 12mm
Washer Head O.D.: 29mm

Fits the Following M18-1.5
applications:
Chrysler: All imports 70-On
Renault: LeCar 79-76
Toyota: All 75-On

UNIT PACKAGE: 5



19141

(6504018)
Plain With
Rubber
Washer Face
Gasket

Thread: M14-1.50
Hex: 13mm
Length Under Head: 20mm
Rubber Gasket O.D.: 28mm

Fits the following applications:
Chrysler 2.0, 2.4, 2.7, 3.2, 3.5, 3.7 &
4.7 Eng. 2000 - On

UNIT PACKAGE: 2



Auveco....

The World's Largest
Supplier Of Body
Hardware & Specialty
Fasteners

OIL & TRANSMISSION DRAIN PLUGS (WITH GASKETS) Sec. 13


15530
Plain

Thread: M20-1.5
Hex: 15mm
Length Under Head: 21mm
Washer Head O.D.: 29mm

Fits the Following
M20-1.5 applications:
Chevrolet Truck:
Luv 82-75

Honda:
All exc. Prelude 73-On
Subaru: All 79-On

UNIT PACKAGE: 5



21041

(VW: 028-103-059-A)
Zinc

Thread: M24-1.5
Drive: 10mm Allen
Length Under Head: 10mm
Head Diameter: 32mm

Fits the following applications:
Audi Cabriolet, A6, A8, Avant,
Quattro, RS6, S4, S6 & S8
VW Phaeton 6.0L & V8 4.2L and
Touareg 4.2L

UNIT PACKAGE: 1




18027

Zinc

Thread: M25-1.5
Hex: 24mm
Length Under Head: 13mm
Washer Head O.D.: 35mm

Fits the following applications:
Toyota


UNIT PACKAGE: 1



Magnetic Oil Drain Plugs (With Gaskets) Zinc Plated



Type 1



Type 2



Type 3

Auveco Part No.	Type	Thread Size	Hex	Length Under Head	Finish	Unit Pkg.
19365	3	1/2"-20	3/4"	43/64"	Zinc	1
17145	1	1/2"-20 Single Oversize	3/4"	13/16"	Zinc	2
17146	1	1/2"-20 Double Oversize	3/4"	13/16"	Zinc & Yellow	2
17147	1	1/2"-20 Triple Oversize	3/4"	13/16"	Black Zinc	2
17148	2	12mm-1.75	13mm	19mm	Zinc	2

Oversize "Piggy-Back" Drain Plugs With Gasket



11782

1/2"-20 Single Oversize
Zinc

UNIT PACKAGE: 5

11783

1/2"-20 Double Oversize
Zinc & Yellow

UNIT PACKAGE: 5

Oversize Oil Pan Drain Plugs With Fibre Gaskets Self-Tapping



Metric

Standard



Auveco Part No.	Size	Finish	Unit Pkg.
19587	1/2"-20 Single Oversize	Zinc	5
18121	1/2"-20 Double Oversize	Zinc & Yellow	5
18122	1/2"-20 Triple Oversize	Black Zinc	5
8285	5/8"-18 Single Oversize	Zinc	5
8286	11/16"-20 Single Oversize	Zinc	5
8288	3/4"-16 Single Oversize	Zinc	5
8289	7/8"-14 Single Oversize	Zinc	5
19618	M12-1.25 Single Oversize	Zinc	5
20759	M12-1.50 Single Oversize	Zinc	5
19619	M12-1.75 Single Oversize	Zinc	5
19620	M14-1.50 Single Oversize	Zinc	5

OIL & TRANSMISSION DRAIN PLUGS (WITH GASKETS) Sec. 13


15530
Plain

Thread: M20-1.5
Hex: 15mm
Length Under Head: 21mm
Washer Head O.D.: 29mm

Fits the Following
M20-1.5 applications:
Chevrolet Truck:
Luv 82-75

Honda:
All exc. Prelude 73-On
Subaru: All 79-On

UNIT PACKAGE: 5



21041

(VW: 028-103-059-A)
Zinc

Thread: M24-1.5
Drive: 10mm Allen
Length Under Head: 10mm
Head Diameter: 32mm

Fits the following applications:
Audi Cabriolet, A6, A8, Avant,
Quattro, RS6, S4, S6 & S8
VW Phaeton 6.0L & V8 4.2L and
Touareg 4.2L

UNIT PACKAGE: 1




18027

Zinc

Thread: M25-1.5
Hex: 24mm
Length Under Head: 13mm
Washer Head O.D.: 35mm

Fits the following applications:
Toyota


UNIT PACKAGE: 1



Magnetic Oil Drain Plugs (With Gaskets) Zinc Plated



Type 1



Type 2



Type 3

Auveco Part No.	Type	Thread Size	Hex	Length Under Head	Finish	Unit Pkg.
19365	3	1/2"-20	3/4"	43/64"	Zinc	1
17145	1	1/2"-20 Single Oversize	3/4"	13/16"	Zinc	2
17146	1	1/2"-20 Double Oversize	3/4"	13/16"	Zinc & Yellow	2
17147	1	1/2"-20 Triple Oversize	3/4"	13/16"	Black Zinc	2
17148	2	12mm-1.75	13mm	19mm	Zinc	2

Oversize "Piggy-Back" Drain Plugs With Gasket



11782

1/2"-20 Single Oversize
Zinc

UNIT PACKAGE: 5

11783

1/2"-20 Double Oversize
Zinc & Yellow


UNIT PACKAGE: 5

Oversize Oil Pan Drain Plugs With Fibre Gaskets Self-Tapping



Metric

Standard



Auveco Part No.

Size

Finish

Unit Pkg.

19587	1/2"-20	Single Oversize	Zinc	5
18121	1/2"-20	Double Oversize	Zinc & Yellow	5
18122	1/2"-20	Triple Oversize	Black Zinc	5
8285	5/8"-18	Single Oversize	Zinc	5
8286	11/16"-20	Single Oversize	Zinc	5
8288	3/4"-16	Single Oversize	Zinc	5
8289	7/8"-14	Single Oversize	Zinc	5
19618	M12-1.25	Single Oversize	Zinc	5
20759	M12-1.50	Single Oversize	Zinc	5
19619	M12-1.75	Single Oversize	Zinc	5
19620	M14-1.50	Single Oversize	Zinc	5

GREASE FITTINGS (Also Available In Large Bulk Quantities)

Ref. No:
1792



1/4"-28, Straight
Thread Length: 9/64"
Overall Length: 1/2"
Ball Check, Plated

15055	Unit Pkg:	50
15074	Unit Pkg:	250
15075	Unit Pkg:	500
15440	Unit Pkg:	1000

Ref. No:
5530



1/4"-28, Straight
Self-Tapping
Overall Length: 9/16"
Ball Check, Plated

15000	Unit Pkg:	50
15068	Unit Pkg:	250
15069	Unit Pkg:	500

Ref. No:
1636



1/4"-28, 45°
Thread Length: .3"
Overall Length: 1"
Ball Check, Plated

15056	Unit Pkg:	25
15076	Unit Pkg:	100
15077	Unit Pkg:	250
15441	Unit Pkg:	1000

Ref. No:
1641



1/4"-28, Straight
Thread Length: 7/32"
Overall Length: 9/16"
Ball Check, Plated

9257	Unit Pkg:	50
15100	Unit Pkg:	250
15101	Unit Pkg:	500
15415	Unit Pkg:	1000

Ref. No:
1743



1/4" Drive Fit
Straight
Overall Length: 1/2"
Ball Check, Plated

15054	Unit Pkg:	25
15072	Unit Pkg:	100
15073	Unit Pkg:	250
15439	Unit Pkg:	1000

Ref. No:
1665



1/4"-28, 65°
Overall Length: 25/32"
Ball Check, Plated

15053	Unit Pkg:	25
15070	Unit Pkg:	100
15071	Unit Pkg:	250
15438	Unit Pkg:	1000

Ref. No:
1652



1/4"-28 Straight
Overall Length: 11/16"
Ball Check, Plated

9258	Unit Pkg:	50
15102	Unit Pkg:	250
15103	Unit Pkg:	500
15416	Unit Pkg:	1000

Ref. No:
1952



1/4" Drive Fit, Straight
Overall Length: 27/64"
No Check Valve
Plated

15065	Unit Pkg:	50
15094	Unit Pkg:	250
15450	Unit Pkg:	1000

Ref. No:
1911



1/4"-28, 90°
Overall Length: 45/64"
Ball Check, Plated

9261	Unit Pkg:	25
15108	Unit Pkg:	100
15109	Unit Pkg:	250
15419	Unit Pkg:	1000

Ref. No:
1680



1/4"-28, Straight
Overall Length: 15/16"
Ball Check, Plated

9259	Unit Pkg:	25
15104	Unit Pkg:	100
15417	Unit Pkg:	1000

Ref. No:
1637



1/4"-28, 45°
Overall Length: 29/32"
Ball Check, Plated

9260	Unit Pkg:	25
15106	Unit Pkg:	100
15107	Unit Pkg:	250
15418	Unit Pkg:	1000


Ref No:
5590



1/4"-28, 90°
Self-Tapping
Overall Length: 43/64"
Ball Check, Plated

19176	Unit Pkg.	25
19177	Unit Pkg.	100
19178	Unit Pkg.	250

GREASE FITTINGS (Also Available In Large Bulk Quantities)

Ref No: 1610  1/8" Pipe, St. Overall Length: 5/8" Ball Check, Plated <table> <tr><td>9262</td><td>Unit Pkg:</td><td>50</td></tr> <tr><td>15110</td><td>Unit Pkg:</td><td>250</td></tr> <tr><td>15111</td><td>Unit Pkg:</td><td>500</td></tr> <tr><td>15420</td><td>Unit Pkg:</td><td>1000</td></tr> </table>	9262	Unit Pkg:	50	15110	Unit Pkg:	250	15111	Unit Pkg:	500	15420	Unit Pkg:	1000	Ref. No: 1688  1/8" Pipe, 45° Overall Length: 1" Ball Check, Plated <table> <tr><td>9264</td><td>Unit Pkg:</td><td>25</td></tr> <tr><td>15114</td><td>Unit Pkg:</td><td>100</td></tr> <tr><td>15115</td><td>Unit Pkg:</td><td>250</td></tr> <tr><td>15422</td><td>Unit Pkg:</td><td>1000</td></tr> </table>	9264	Unit Pkg:	25	15114	Unit Pkg:	100	15115	Unit Pkg:	250	15422	Unit Pkg:	1000	Ref. No: 1612  1/8" Pipe, 65° Overall Length: 7/8" Ball Check, Plated <table> <tr><td>9265</td><td>Unit Pkg:</td><td>25</td></tr> <tr><td>15116</td><td>Unit Pkg:</td><td>100</td></tr> <tr><td>15117</td><td>Unit Pkg:</td><td>250</td></tr> <tr><td>15423</td><td>Unit Pkg:</td><td>1000</td></tr> </table>	9265	Unit Pkg:	25	15116	Unit Pkg:	100	15117	Unit Pkg:	250	15423	Unit Pkg:	1000
9262	Unit Pkg:	50																																				
15110	Unit Pkg:	250																																				
15111	Unit Pkg:	500																																				
15420	Unit Pkg:	1000																																				
9264	Unit Pkg:	25																																				
15114	Unit Pkg:	100																																				
15115	Unit Pkg:	250																																				
15422	Unit Pkg:	1000																																				
9265	Unit Pkg:	25																																				
15116	Unit Pkg:	100																																				
15117	Unit Pkg:	250																																				
15423	Unit Pkg:	1000																																				
Ref No: 1607  1/8" Pipe, St. Overall Length: 1-1/4" Ball Check, Plated <table> <tr><td>9267</td><td>Unit Pkg:</td><td>25</td></tr> <tr><td>15120</td><td>Unit Pkg:</td><td>100</td></tr> <tr><td>15121</td><td>Unit Pkg:</td><td>250</td></tr> </table>	9267	Unit Pkg:	25	15120	Unit Pkg:	100	15121	Unit Pkg:	250	Ref. No: 5570  1/8" Pipe, St. Self-Tapping Overall Length: 39/64" Ball Check, Plated Nominal Hole Size: 3/8" <table> <tr><td>15066</td><td>Unit Pkg:</td><td>25</td></tr> <tr><td>15096</td><td>Unit Pkg:</td><td>100</td></tr> <tr><td>15097</td><td>Unit Pkg:</td><td>250</td></tr> </table>	15066	Unit Pkg:	25	15096	Unit Pkg:	100	15097	Unit Pkg:	250	Ref. No: 1613  1/8" Pipe, 90° Overall Length: 53/64" Ball Check, Plated <table> <tr><td>9266</td><td>Unit Pkg:</td><td>25</td></tr> <tr><td>15118</td><td>Unit Pkg:</td><td>100</td></tr> <tr><td>15119</td><td>Unit Pkg:</td><td>250</td></tr> <tr><td>15424</td><td>Unit Pkg:</td><td>1000</td></tr> </table>	9266	Unit Pkg:	25	15118	Unit Pkg:	100	15119	Unit Pkg:	250	15424	Unit Pkg:	1000						
9267	Unit Pkg:	25																																				
15120	Unit Pkg:	100																																				
15121	Unit Pkg:	250																																				
15066	Unit Pkg:	25																																				
15096	Unit Pkg:	100																																				
15097	Unit Pkg:	250																																				
9266	Unit Pkg:	25																																				
15118	Unit Pkg:	100																																				
15119	Unit Pkg:	250																																				
15424	Unit Pkg:	1000																																				
Ref. No: 1728  3/16" Drive Fit, St. Overall Length: 1/2" Ball Check, Plated <table> <tr><td>15060</td><td>Unit Pkg:</td><td>50</td></tr> <tr><td>15084</td><td>Unit Pkg:</td><td>250</td></tr> <tr><td>15085</td><td>Unit Pkg:</td><td>500</td></tr> </table>	15060	Unit Pkg:	50	15084	Unit Pkg:	250	15085	Unit Pkg:	500	Ref. No: 1711  5/16"-24, Straight Overall Length: 5/8" Ball Check, Plated <table> <tr><td>15057</td><td>Unit Pkg:</td><td>25</td></tr> <tr><td>15078</td><td>Unit Pkg:</td><td>100</td></tr> <tr><td>15079</td><td>Unit Pkg:</td><td>250</td></tr> </table>	15057	Unit Pkg:	25	15078	Unit Pkg:	100	15079	Unit Pkg:	250	Ref. No: 1608  5/16" Drive Fit, St. Overall Length: 9/16" Ball Check, Plated <table> <tr><td>15061</td><td>Unit Pkg:</td><td>50</td></tr> <tr><td>15086</td><td>Unit Pkg:</td><td>250</td></tr> <tr><td>15087</td><td>Unit Pkg:</td><td>500</td></tr> <tr><td>15446</td><td>Unit Pkg:</td><td>1000</td></tr> </table>	15061	Unit Pkg:	50	15086	Unit Pkg:	250	15087	Unit Pkg:	500	15446	Unit Pkg:	1000						
15060	Unit Pkg:	50																																				
15084	Unit Pkg:	250																																				
15085	Unit Pkg:	500																																				
15057	Unit Pkg:	25																																				
15078	Unit Pkg:	100																																				
15079	Unit Pkg:	250																																				
15061	Unit Pkg:	50																																				
15086	Unit Pkg:	250																																				
15087	Unit Pkg:	500																																				
15446	Unit Pkg:	1000																																				
Ref. No: 1710  3/8"-24, Straight Overall Length: 5/8" Ball Check, Plated <table> <tr><td>15058</td><td>Unit Pkg:</td><td>25</td></tr> <tr><td>15080</td><td>Unit Pkg:</td><td>100</td></tr> </table>	15058	Unit Pkg:	25	15080	Unit Pkg:	100	Ref. No: 1627  1/4" Pipe, St. Overall Length: 27/32" Ball Check, Plated <table> <tr><td>15059</td><td>Unit Pkg:</td><td>25</td></tr> <tr><td>15082</td><td>Unit Pkg:</td><td>100</td></tr> <tr><td>15083</td><td>Unit Pkg:</td><td>250</td></tr> <tr><td>15444</td><td>Unit Pkg:</td><td>1000</td></tr> </table>	15059	Unit Pkg:	25	15082	Unit Pkg:	100	15083	Unit Pkg:	250	15444	Unit Pkg:	1000	Ref. No: 1629  1/4" Pipe, 65° Overall Length: 1" Ball Check, Plated <table> <tr><td>15062</td><td>Unit Pkg:</td><td>10</td></tr> <tr><td>15088</td><td>Unit Pkg:</td><td>50</td></tr> <tr><td>15089</td><td>Unit Pkg:</td><td>100</td></tr> </table>	15062	Unit Pkg:	10	15088	Unit Pkg:	50	15089	Unit Pkg:	100									
15058	Unit Pkg:	25																																				
15080	Unit Pkg:	100																																				
15059	Unit Pkg:	25																																				
15082	Unit Pkg:	100																																				
15083	Unit Pkg:	250																																				
15444	Unit Pkg:	1000																																				
15062	Unit Pkg:	10																																				
15088	Unit Pkg:	50																																				
15089	Unit Pkg:	100																																				

Sec. 13

METRIC GREASE FITTINGS (Also Available In Large Bulk Quantities)

Ref No:
8601



6mm-1.00, Straight
DIN 71412
Overall Length: 14mm
Ball Check, Plated

11097	Unit Pkg:	5
15122	Unit Pkg:	50
15123	Unit Pkg:	100
15426	Unit Pkg:	1000

Ref. No:
7045



6mm-1.00, 45°
Overall Length: 22mm
Ball Check, Plated

11775	Unit Pkg:	10
15132	Unit Pkg:	50
15133	Unit Pkg:	100
15431	Unit Pkg:	1000

Ref No:
7090



6mm-1.00, 90°
Overall Length: 18mm
Ball Check, Plated

11776	Unit Pkg:	10
15134	Unit Pkg:	50
15135	Unit Pkg:	100

Ref No:
8901



8mm-1.00, Straight
DIN 71412
Overall Length: 15mm
Ball Check, Plated

11098	Unit Pkg:	5
15124	Unit Pkg:	50
15125	Unit Pkg:	100

Ref No:
7445



8mm-1.00, 45°
Overall Length: 23mm
Ball Check, Plated

11777	Unit Pkg:	10
15136	Unit Pkg:	50
15137	Unit Pkg:	100

Ref No:
7490



8mm-1.00, 90°
DIN 71412
Overall Length:
18mm
Ball Check, Plated

11099	Unit Pkg:	5
15126	Unit Pkg:	50
15127	Unit Pkg:	100

Ref No:
9201



8mm-1.25, Straight
Overall Length: 15mm
Ball Check, Plated

11778	Unit Pkg:	10
15138	Unit Pkg:	50
15139	Unit Pkg:	100
15434	Unit Pkg:	1000

Ref No:
7545



8mm-1.25, 45°
Overall Length: 23mm
Ball Check, Plated

11779	Unit Pkg:	10
15140	Unit Pkg:	50
15141	Unit Pkg:	100

Ref No:
7590



8mm-1.25, 90°
Overall Length: 18mm
Ball Check, Plated

11780	Unit Pkg:	10
15142	Unit Pkg:	50
15143	Unit Pkg:	100
15436	Unit Pkg:	1000

Ref No:
9301



10mm-1.00, Straight
DIN 71412
Overall Length: 15mm
Ball Check, Plated

11100	Unit Pkg:	5
15128	Unit Pkg:	50
15129	Unit Pkg:	100

Ref No:
9345



10mm-1.00, 45°
Overall Length: 23mm
Ball Check, Plated

15067	Unit Pkg:	25
15098	Unit Pkg:	100
15099	Unit Pkg:	250

Ref No:
9390



10mm-1.00, 90°
DIN 71412
Overall Length:
19mm
Ball Check, Plated

11101	Unit Pkg:	5
15130	Unit Pkg:	50
15131	Unit Pkg:	100

Ref. No:
9501



10mm-1.5 Straight
Overall Length: 15mm
Ball Check, Plated

17555	Unit Pkg:	50
-------	-----------	----

STAINLESS STEEL WITH BALL CHECK
303 Series Body Σ 420 Series Ball Σ 302 Series Spring

Ref. No:
8036



6mm-1.00, Straight
Overall Length: 14mm
UNIT PACKAGE: 5

17155


Ref. No:
8058



8mm-1.00, Straight
Overall Length: 15mm
UNIT PACKAGE: 5

17156

4-Way Grease Fitting Tools



15693


For popular 1/4-28 and 6mm fittings. Tap repairs 1/4-28 threads. Wrench removes 5/16" and 3/8" hex fittings and plugs. "Easy-out" removes broken fittings.

UNIT PACKAGE: 1

15694

For 1/8" NPT fittings. Tap repairs 1/8" NPT threads. Wrench removes 7/16" and 3/8" hex fittings and plugs. Installs new 1/8" NPT fittings. "Easy Out" removes broken fittings.


UNIT PACKAGE: 1



16275

One-Hand Grease Gun
3-Way Loading.
Uses 14.5 oz. Cartridge
16 oz. Bulk Capacity
2500 PSI Working Pressure
3 Claw Coupler
Blue


UNIT PACKAGE: 1



16276

Heavy Duty Grease Gun
3-Way Loading
Uses 14.5 oz. Cartridge
16 oz. Bulk Capacity
10,000 PSI Working Pressure
3 Claw Coupler
Blue With Orange Vinyl Grip


UNIT PACKAGE: 1



16277

Professional Grease Gun
Delivers Grease At Various Lever Openings
3-Way Loading
Uses 14.5 oz. Cartridge
16 oz. Bulk Capacity
Variable Pressure
4 Claw Coupler
Zinc With Black Rubber Grip

UNIT PACKAGE: 1



16278

Air Operated Grease Gun
Pressure Ratio 50:1
Required Air Pressure: 30-120 PSI.
Suggested Working Air
Pressure: 90 PSI
3-Way Loading
Use 14.5 oz. Cartridge
16 oz. Bulk Capacity
4 Claw Coupler
Gray

UNIT PACKAGE: 1




15688

Grease Gun Coupler
With Ball Check

Fits 1/8" NPT Threads
For hand operated lube equipment. Working pressure:
3,000 PSI
Overall Length: 1-3/8"

UNIT PACKAGE: 1



15689

Heavy Duty
Grease Gun
Coupler
With Ball Check

Fits 1/8" NPT Threads
For hand operated lube equipment only.
Working pressure: 5,000 PSI
Overall Length: 1-7/16"

UNIT PACKAGE: 1

Grease Gun Hoses 1/8" NPT Male Fittings



15691

12"
3000 PSI

UNIT PKG: 1

15692

18"
3000 PSI

UNIT PKG: 1

16279

12"
5800 PSI

UNIT PKG: 1

16280

18"
5800 PSI

UNIT PKG: 1

Grease Fitting Caps

Polyethylene caps that snap over fittings to seal out dirt and moisture. Integral ring keeps cap in place during servicing.



18109

Black

U.P. 50

18110

Red

U.P. 50

18111

Yellow

U.P. 50

Hex Head Pipe Plugs

Cold Rolled Steel
Plain Finish



Auveco Part No.	O.E.M. No.	Pipe Size	Unit Pkg.
9278.....	GM: 444613	1/8-27	25
9279.....	GM: 444619, GM: 444620	1/4-18	25
9280.....		3/8-18	25
9281.....		1/2-14	25

Socket Head Pipe Plugs

Cold Rolled Steel
Plain Finish



Auveco Part No.	O.E.M. No.	Pipe Size	Unit Pkg.
9282.....	GM: 9427882	1/8-27	25
9283.....	GM: 444776	1/4-18	25
9284.....	GM: 444782	3/8-18	25
9285.....	GM: 444667, GM: 444789	1/2-14	25

BRASS FITTINGS


Inverted Flare Fittings

Sec. 13




Inverted Nut
(Brass)

Auveco Part No.	Tube Size	Unit Pkg.
30	3/16"	10
31	1/4"	10
32	5/16"	10
33	3/8"	10
34	1/2"	10



Male Connector
(Brass)

Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
49	1/8"	1/8"	5
50	3/16"	1/8"	5
51	1/4"	1/8"	5
52	5/16"	1/8"	5
53	3/8"	1/4"	5
54	1/2"	3/8"	5



90° Male Elbow
(Brass)

Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
74	1/8"	1/8"	5
75	3/16"	1/8"	5
76	1/4"	1/8"	5
77	5/16"	1/8"	5
78	3/8"	1/4"	5



Inverted Nut
(Steel)

Auveco Part No.	Tube Size	Unit Pkg.
35	1/8"	10
36	3/16"	10
37	1/4"	10
38	5/16"	10
39	3/8"	10
40	1/2"	10



Union
(Brass)

Auveco Part No.	Tube Size	Unit Pkg.
68	1/8"	5
69	3/16"	5
70	1/4"	5
72	3/8"	5
73	1/2"	5




45° Male Elbow
(Brass)

Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
90	3/16"	1/8"	5
91	1/4"	1/8"	5



Steel Plug

Auveco Part No.	Tube Size	Unit Pkg.
45	3/16"	10
46	1/4"	10
47	5/16"	10



Male Branch
(Brass)

Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
96	3/16"	1/8"	5



Sleeve (Brass)


Auveco Part No.	Tube Size	Unit Pkg.
101	1/8"	25
102	3/16"	25
103	1/4"	25
104	5/16"	25
105	3/8"	25
106	7/16"	10
107	1/2"	10
108	5/8"	10
109	3/4"	10

Compression Fittings



Nut
(Brass)

Auveco Part No.	Tube Size	Unit Pkg.
110	1/8"	10
111	3/16"	10
112	1/4"	10
113	5/16"	10
114	3/8"	10
116	1/2"	10



Male Elbow
(Brass)

Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
158	1/8"	1/8"	5
159	3/16"	1/8"	5
160	1/4"	1/8"	5
161	1/4"	1/4"	5
162	5/16"	1/8"	5
163	5/16"	1/4"	5
164	3/8"	1/8"	5
165	3/8"	1/4"	5
166	3/8"	3/8"	5
167	1/2"	3/8"	5
168	1/2"	1/2"	5




Union: (Brass)

Auveco Part No.	Tube Size	Unit Pkg.
150	1/8"	5
151	3/16"	5
152	1/4"	5
153	5/16"	5
154	3/8"	5
155	1/2"	5

(Continued on next page)

Sec. 13

BRASS FITTINGS Compression Fittings (continued)




Male Connector
(Brass)

Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
119	1/8"	1/8"	5
120	3/16"	1/8"	5
121	1/4"	1/8"	5
122	1/4"	1/4"	5
123	5/16"	1/8"	5
124	5/16"	1/4"	5
125	3/8"	1/8"	5
126	3/8"	1/4"	5
127	3/8"	3/8"	5
128	1/2"	3/8"	5




Male Run Tee
(Brass)

Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
172	1/4"	1/8"	5
173	5/16"	1/8"	5



Male Branch Tee
(Brass)

Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
181	3/16"	1/8"	5
182	1/4"	1/8"	5
185	1/2"	3/8"	5



Adapter Tee
(Brass)


Auveco Part No.	Tube Size	Ext. Pipe Thd.	Int. Pipe Thd.
177	3/16"	1/8"	1/8"
178	1/4"	1/8"	1/8"

UNIT PACKAGE: 5



Female Connector
(Brass)

Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
134	1/8"	1/8"	5
135	3/16"	1/8"	5
136	1/4"	1/8"	5
137	5/16"	1/8"	5



Union Tee
(Brass)

Auveco Part No.	Tube Size	Unit Pkg.
186	3/16"	5
187	1/4"	5
188	5/16"	5
189	3/8"	5

Double Compression (Threaded Sleeve) Fittings




Nut
(Brass)

Auveco Part No.	Tube Size	Unit Pkg.
192	1/8"	10
193	3/16"	10
194	1/4"	10



Male Connector
(Brass)


Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
198	1/8"	1/8"	5
199	3/16"	1/8"	5
200	1/4"	1/8"	5
201	5/16"	1/8"	5



Male Elbow
(Brass)


Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
205	1/8"	1/8"	5
206	3/16"	1/8"	5
207	1/4"	1/8"	5

S.A.E. 45° Flared Tube Fittings



SAE Flare Nut (Long)
(Brass)


Auveco Part No.	Tube Size	Unit Pkg.
211	3/16"	5
212	1/4"	5
213	5/16"	5



SAE Flare Nut (Short)
(Brass)

Auveco Part No.	Tube Size	Unit Pkg.
219	1/8"	5
221	1/4"	5
223	3/8"	5
224	1/2"	5

Male Elbow




(Brass)

Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
228	1/8"	1/8"	5
229	3/16"	1/8"	5
230	1/4"	1/8"	5
231	1/4"	1/4"	5
232	5/16"	1/8"	5
233	5/16"	1/4"	5
234	3/8"	1/4"	5
235	3/8"	1/8"	5
236	3/8"	3/8"	5

BRASS FITTINGS


Sec. 13

S.A.E. 45° FLARED TUBE FITTINGS (continued)



Union
(Brass)

Auveco Part No.	Tube Size	Unit Pkg.
243	3/16"	5
244	1/4"	5
245	5/16"	5
246	3/8"	5
247	1/2"	5



Male Branch Tee
(Brass)

Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
277	3/16"	1/8"	5
278	1/4"	1/8"	5




Male Connector
(Brass)

Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
260	3/16"	1/8"	5
261	1/4"	1/8"	5
262	1/4"	1/4"	5
263	5/16"	1/8"	5
264	5/16"	1/4"	5
265	3/8"	1/4"	5
266	3/8"	1/8"	5
267	3/8"	3/8"	5
268	1/2"	3/8"	5
269	1/2"	1/2"	5



Female Connector
(Brass)

Auveco Part No.	Tube Size	Pipe Thread	Unit Pkg.
250	3/16"	1/8"	5
251	1/4"	1/8"	5
252	1/4"	1/4"	5
253	5/16"	1/8"	5
254	5/16"	1/4"	5
255	3/8"	1/4"	5
256	3/8"	1/8"	5



Elbow - Union
(Brass)

Auveco Part No.	Tube Size	Unit Pkg.
273	1/4"	5

Pipe Fittings




Cap
(Brass)

Auveco Part No.	Pipe Thread	Unit Pkg.
287	1/8"	5
288	1/4"	5



Hex Head Plug
(Brass)

Auveco Part No.	Pipe Thread	Unit Pkg.
295	1/8"	5
296	1/4"	5
297	3/8"	5
298	1/2"	5



Close Nipple
(Brass)

Auveco Part No.	Lgth.	Pipe Thread	Unit Pkg.
305	3/4"	1/8"	5
306	7/8"	1/4"	5
307	1"	3/8"	5
308	1-1/8"	1/2"	5



Slotted Plug
(Brass)

Auveco Part No.	Pipe Thread	Unit Pkg.
289	1/8"	5
290	1/4"	5



Bushing
(Brass)

Ext. Auveco Part No.	Int. Pipe Thd.	Pipe Thd.	Unit Pkg.
299	1/4"	1/8"	5
300	3/8"	1/8"	5
301	3/8"	1/4"	5
302	1/2"	1/8"	5
303	1/2"	1/4"	5
304	1/2"	3/8"	5



Long Nipple
(Brass)

Auveco Part No.	Lgth.	Pipe Thread	Unit Pkg.
309	1-1/2"	1/8"	5
310	2"	1/8"	5
311	2-1/2"	1/8"	5
313	1-1/2"	1/4"	5
314	2"	1/4"	5
315	2-1/2"	1/4"	5



Square Head Plug
(Brass)

Auveco Part No.	Pipe Thread	Unit Pkg.
291	1/8"	5
292	1/4"	5
293	3/8"	5
294	1/2"	5

(Continued on next page)

Refer to page 234 for "Pipe Thread Identification"

BRASS FITTINGS


Pipe Fittings (continued)

Hex Nipple
(Brass)



Auveco Part No.	Pipe Thd. A	Pipe Thd. B	Unit Pkg.
-----------------	-------------	-------------	-----------

316	1/8"	1/8"	5
317	1/4"	1/4"	5
318	1/4"	1/8"	5
319	3/8"	3/8"	5
320	3/8"	1/8"	5
321	3/8"	1/4"	5
322	1/2"	1/2"	5



Adaptor
(Brass)

Auveco Part No.	Pipe Thd. A	Pipe Thd. B	Unit Pkg.
-----------------	-------------	-------------	-----------


325	1/8"	1/8"	5
326	1/4"	1/8"	5
327	1/4"	1/4"	5
328	3/8"	1/4"	5
329	3/8"	3/8"	5
330	1/2"	3/8"	5



Coupling
(Brass)

Auveco Part No.	Pipe Thread	Unit Pkg.
-----------------	-------------	-----------


331	1/8"	5
332	1/4"	5
333	3/8"	5
334	1/2"	5



Reducing Coupling
(Brass)

Auveco Part No.	Pipe Thd. A	Pipe Thd. B	Unit Pkg.
-----------------	-------------	-------------	-----------

335	1/4"	1/8"	5
336	3/8"	1/8"	5
337	3/8"	1/4"	5
339	1/2"	3/8"	5



Union
(Brass)

Auveco Part No.	Pipe Thread	Unit Pkg.
-----------------	-------------	-----------


340	1/8"	5
341	1/4"	5



90° Street Elbow
(Brass)

Auveco Part No.	Int. Pipe Thd.	Ext. Pipe Thd.	Unit Pkg.
-----------------	----------------	----------------	-----------

342	1/8"	1/8"	5
343	1/4"	1/4"	5
344	3/8"	3/8"	5
345	1/4"	1/8"	5



45° Street Elbow
(Brass)

Auveco Part No.	Pipe Thread	Unit Pkg.
-----------------	-------------	-----------

347	1/8"	5
348	1/4"	5
349	3/8"	5



90° Pipe Elbow
(Brass)

Auveco Part No.	Int. Pipe Thd.	Ext. Pipe Thd.	Unit Pkg.
-----------------	----------------	----------------	-----------

350	1/8"	1/8"	5
351	1/4"	1/4"	5
352	3/8"	3/8"	5



Cross
(Brass)

Auveco Part No.	Pipe Thread	Unit Pkg.
-----------------	-------------	-----------


353	1/8"	5
354	1/4"	5



Tee
(Brass)

Auveco Part No.	Pipe Thread	Unit Pkg.
-----------------	-------------	-----------

355	1/8"	5
356	1/4"	5
357	3/8"	5



Male Branch Tee
(Brass)

Auveco Part No.	Pipe Thread	Unit Pkg.
-----------------	-------------	-----------

358	1/8"	5
-----	------	---



Street Tee
(Brass)

Auveco Part No.	Pipe Thread	Unit Pkg.
-----------------	-------------	-----------

359	1/8"	5
360	1/4"	5

Pipe Thread Identification



1/8"



1/4"



3/8"



1/2"

BRASS FITTINGS

Drain Cocks and Valves

Sec. 13




External Seat
(Brass)

Auveco Part No.	Pipe Thread	Unit Pkg.
370	1/8"	5
371	1/4"	5
372	3/8"	5




Compression Line
(Brass)

Auveco Part No.	Tube Size	Unit Pkg.
385	1/4"	3




Angle Bib Drain
(Brass)

Auveco Part No.	Pipe Thd.	A	Unit Pkg.
374	1/4"	1-11/16"	5




Ground Plug Drain
(Brass)

Auveco Part No.	Pipe Thread	Unit Pkg.
405	1/8"	5
406	1/4"	5
407	3/8"	5



Female Pipe
Ground Plug Line
(Brass)


Auveco Part No.	Pipe Thread	Unit Pkg.
399	1/8"	3
401	1/4"	3



Compression Line
Ground Plug
(Brass)


Auveco Part No.	Tube Size	Unit Pkg.
389	5/16"	3

View the Auveco Catalog on-line at www.auveco.com. You can search by Auveco part number, description, OEM number and competitive part number.



SAE Straightway
(Ground Plug)
(Brass)


Auveco Part No.	Tube Size	Pipe Thd.	Unit Pkg.
394	3/8"	1/4"	3



SAE Angle
(Brass)

Auveco Part No.	Tube Size	Pipe Thd.
395	1/4"	1/8"
398	3/8"	1/4"


UNIT PACKAGE: 3



Multiple Shut-Off Valves
Stem Short
(Brass)


Auveco Part No.	Desc.
404	3 Way 1/4 Female 3 Ends

UNIT PACKAGE: 1



Ball End
Joint Adapter To
Taper Male Pipe


Auveco Part No.	Male N.P.S. Thread	Male N.P.T. Thread	Unit Pkg.
445	1/4"	1/4"	10
448	1/2"	3/8"	5



Beaded Hose Barb
90° Elbow Tube To Male Pipe

Auveco Part No.	I.D. Hose Size	Pipe Thread	Unit Pkg.
461	1/2"	3/8"	3
462	5/8"	1/4"	3
463	5/8"	3/8"	3
464	5/8"	1/2"	3
465	3/4"	1/2"	2

Beaded Hose Barb
Tube To Male Pipe



Auveco Part No.	I.D. Hose Size	Pipe Thread	Unit Pkg.
413	3/8"	3/8"	5
414	1/2"	1/4"	5
415	1/2"	3/8"	5
416	5/8"	3/8"	5
417	5/8"	1/2"	5
418	3/4"	1/2"	5



Hose Barb To
Taper Male Pipe


Auveco Part No.	I.D. Hose Size	Pipe Thread	Unit Pkg.
424	3/16"	1/8"	10
425	1/4"	1/8"	10
426	1/4"	1/4"	10
427	1/4"	3/8"	5
428	5/16"	1/8"	10
429	5/16"	1/4"	5
430	3/8"	1/8"	10
431	3/8"	1/4"	10
432	3/8"	3/8"	5
433	1/2"	1/4"	5
434	1/2"	3/8"	5
435	1/2"	1/2"	5



Barbed Hose Coupler


Auveco Part No.	I.D. Hose Size	Overall Length	Unit Pkg.
*419	3/16"	1.44"	5
420	1/4"	2.00"	5
421	5/16"	2.00"	5
422	3/8"	2.00"	5
423	1/2"	2.00"	5

* 3 Barb Design




Hose Barb To
Taper Female Pipe

Auveco Part No.	I.D. Hose Size	Pipe Thread	Unit Pkg.
437	1/4"	1/4"	5
438	5/16"	1/4"	5
439	3/8"	1/8"	5
440	3/8"	1/4"	5
441	3/8"	3/8"	5
442	1/2"	3/8"	5
443	1/2"	1/2"	5



Hose Barb 90° Elbow
Tube To Male Pipe

Auveco Part No.	I.D. Hose Size	Pipe Thread	Unit Pkg.
455	1/4"	1/8"	5
456	1/4"	1/4"	5
457	3/8"	1/4"	5



Hose Barb To
Swivel Female Ball End

Auveco Part No.	I.D. Hose Size	Female N.P.S. Thd.	Unit Pkg.
454	1/2"	1/2"	5