



RIVETS

Sec. 14


Brazier Head Solid Aluminum Rivets

Auveco Part No.	Dia.	Length	Head Dia.	Unit Pkg.
9643	3/16"	3/8"	15/32"	100
9644	3/16"	3/8"	15/32"	1000
12528	3/16"	1/2"	15/32"	100
12529	3/16"	1/2"	15/32"	1000
9647	1/4"	3/8"	5/8"	100
9648	1/4"	3/8"	5/8"	1000


Refer To Pages 260-261 For Drill Bits Used With Rivets




Pan'l Blind Rivets



Dome



Large Flange



Countersunk

Auveco Part No. Unit Package Quantity					Head (Flange) Type & Diameter	Rivet Dia.	Grip Range	Rivet Length Exc. Flange	Cross Reference		
25	50	100	500	1000					POP®	Marson Klik-Fast	
Steel Rivet - Steel Mandrel - Plated											
—	—	19044	—	—	Dome 3/16"	3/32"	1/32" - 1/8"	15/64"	SD32BS	SB3-2	
—	—	19045	—	—	Dome 3/16"	3/32"	1/8" - 1/4"	23/64"	SD34BS	SB3-4	
—	—	19046	—	—	Dome 1/4"	1/8"	1/32" - 1/16"	13/64"	SD41BS	SB4-1	
—	—	5749	5748	8871	Dome 1/4"	1/8"	1/16" - 1/8"	7/32"	SD42BS	SB4-2	
—	—	5751	5750	8872	Cntrsnk 7/32"	1/8"	1/16" - 1/8"	7/32"	SK42BS	SC4-2	
—	—	8291	8290	8873	Lg Flange 3/8"	1/8"	1/16" - 1/8"	7/32"	SD42BSLF	SBL4-2	
—	—	8874	8875	—	Dome 1/4"	1/8"	1/8" - 3/16"	5/16"	SD43BS	SB4-3	
—	—	5753	5752	8877	Dome 1/4"	1/8"	3/16" - 1/4"	25/64"	SD44BS	SB4-4	
—	—	8303	8302	—	Cntrsnk 7/32"	1/8"	3/16" - 1/4"	25/64"	SK44BS	SC4-4	
—	—	8293	8292	8879	Lg Flange 3/8"	1/8"	3/16" - 1/4"	25/64"	SD44BSLF	SBL4-4	
—	—	8880	8881	8882	Dome 1/4"	1/8"	5/16" - 3/8"	1/2"	SD46BS	SB4-6	
—	—	19047	—	—	Dome 1/4"	1/8"	3/8" - 1/2"	41/64"	SD48BS	SB4-8	
—	—	8883	8884	—	Dome 5/16"	5/32"	1/16" - 1/8"	7/32"	SD52BS	SB5-2	
—	—	8886	8887	8888	Dome 5/16"	5/32"	3/16" - 1/4"	3/8"	SD54BS	SB5-4	
—	—	8889	—	—	Dome 3/8"	3/16"	1/16" - 1/8"	9/32"	SD62BS	SB6-2	
—	—	8892	8893	8894	Dome 3/8"	3/16"	1/8" - 1/4"	7/16"	SD64BS	SB6-4	
—	18811	—	—	—	Lg Flange 5/8"	3/16"	1/8" - 1/4"	7/16"	SD64BSLF	SBL6-4	
—	—	8895	8896	8897	Dome 3/8"	3/16"	1/4" - 3/8"	9/16"	SD66BS	SB6-6	
—	—	8305	8304	8898	Lg Flange 5/8"	3/16"	1/4" - 3/8"	9/16"	SD66BSLF	SBL6-6	
—	—	8899	8900	8901	Dome 3/8"	3/16"	3/8" - 1/2"	11/16"	SD68BS	SB6-8	
—	18812	—	—	—	Lg Flange 5/8"	3/16"	3/8" - 1/2"	11/16"	SD68BSLF	SBL6-8	
—	—	8902	8903	—	Dome 3/8"	3/16"	1/2" - 5/8"	13/16"	SD610BS	SB6-10	
18813	—	—	—	—	Lg Flange 5/8"	3/16"	1/2" - 5/8"	13/16"	SD610BSLF	SBL6-10	
18814	—	—	—	—	Lg Flange 5/8"	3/16"	5/8" - 3/4"	15/16"	SD612BSLF	SBL6-12	
19048	—	—	—	—	Dome 1/2"	1/4"	3/4" - 1"	1-15/64"	SD816BS	—	

(Continued on next page)

Auveco Part No. Unit Package Quantity					Head (Flange) Type & Diameter	Rivet Dia.	Grip Range	Rivet Length Exc. Flange	Cross Reference		
25	50	100	500	1000					POP®	Marson Klik-Fast	
Aluminum Rivet - Steel Mandrel											
—	—	8905	8906	8907	Dome 1/4"	1/8"	1/16" - 1/8"	7/32"	AD42BS	AB4-2	
—	—	8908	8909	—	Cntrs nk 7/32"	1/8"	1/16" - 1/8"	7/32"	AK42BS	AC4-2	
—	—	8911	8912	8913	Dome 1/4"	1/8"	3/16" - 1/4"	3/8"	AD44BS	AB4-4	
—	—	8914	8915	—	Cntrs nk 7/32"	1/8"	3/16" - 1/4"	3/8"	AK44BS	AC4-4	
—	—	19049	—	—	Dome 1/4"	1/8"	3/8" - 1/2"	41/64"	AD48BS	AB4-8	
—	—	19050	—	—	Dome 5/16"	5/32"	3/16" - 1/4"	27/64"	AD54BS	AB5-4	
—	—	8295	8294	8917	Dome 3/8"	3/16"	1/16" - 1/8"	9/32"	AD62BS	AB6-2	
—	—	8307	8306	8918	Dome 3/8"	3/16"	1/8" - 1/4"	3/8"	AD64BS	AB6-4	
—	—	8297	8296	8919	Dome 3/8"	3/16"	1/4" - 3/8"	9/16"	AD66BS	AB6-6	
—	19051	—	—	—	Lg Flange 5/8"	3/16"	3/8" - 1/2"	11/16"	AD68BSLF	ABL6-8	
Aluminum Rivet - Aluminum Mandrel											
—	—	19053	—	—	Dome 3/16"	3/32"	1/32" - 1/8"	15/64"	AD32ABS	AB3-2A	
—	—	8309	8308	8920	Dome 1/4"	1/8"	1/16" - 1/8"	7/32"	AD42ABS	AB4-2A	
—	—	8299	8298	—	Cntrs nk 7/32"	1/8"	1/16" - 1/8"	7/32"	AK42ABS	AC4-2A	
—	—	8922	8923	8924	Lg Flange 3/8"	1/8"	1/16" - 1/8"	7/32"	AD42ABSLF	ABL4-2A	
—	—	8925	8926	8927	Dome 1/4"	1/8"	3/16" - 1/4"	3/8"	AD44ABS	AB4-4A	
—	—	8928	8929	8930	Cntrs nk 7/32"	1/8"	3/16" - 1/4"	3/8"	AK44ABS	AC4-4A	
—	—	8931	8932	8933	Lg Flange 3/8"	1/8"	3/16" - 1/4"	3/8"	AD44ABSLF	ABL4-4A	
—	—	16031	—	—	Dome 1/4"	1/8"	5/16" - 3/8"	1/2"	AD46ABS	AB4-6A	
—	—	16032	—	—	Dome 1/4"	1/8"	3/8" - 1/2"	5/8"	AD48ABS	AB4-8A	
—	—	20474	—	—	Lg. Flange 3/8"	1/8"	3/8" - 1/2"	5/8"	—	ABL4-8A	
—	—	18727	—	—	Dome 5/16"	5/32"	1/16" - 1/8"	9/32"	AD52ABS	AB5-2A	
—	—	18728	—	—	Dome 5/16"	5/32"	1/8" - 3/16"	11/32"	AD53ABS	AB5-3A	
—	—	18729	—	—	Dome 5/16"	5/32"	3/16" - 1/4"	13/32"	AD54ABS	AB5-4A	
—	18732	—	—	—	Lg Flange 15/32"	5/32"	3/16" - 1/4"	13/32"	AD54ABSLF	—	
—	—	18730	—	—	Dome 5/16"	5/32"	1/4" - 3/8"	1/2"	AD56ABS	AB5-6A	
—	18731	—	—	—	Dome 5/16"	5/32"	3/8" - 1/2"	5/8"	AD58ABS	AB5-8A	
—	—	5755	5754	8934	Dome 3/8"	3/16"	1/16" - 1/8"	9/32"	AD62ABS	AB6-2A	
—	—	8311	8310	8935	Dome 3/8"	3/16"	1/8" - 1/4"	7/16"	AD64ABS	AB6-4A	
—	19055	—	—	—	Lg Flange 5/8"	3/16"	1/8" - 1/4"	7/16"	AD64ABSLF	ABL6-4A	
—	—	8301	8300	8936	Dome 3/8"	3/16"	1/4" - 3/8"	9/16"	AD66ABS	AB6-6A	
—	—	8313	8312	8937	Lg Flange 5/8"	3/16"	1/4" - 3/8"	9/16"	AD66ABSLF	ABL6-6A	
—	—	8938	8939	8940	Dome 3/8"	3/16"	3/8" - 1/2"	11/16"	AD68ABS	AB6-8A	
—	19056	—	—	—	Lg Flange 5/8"	3/16"	3/8" - 1/2"	11/16"	AD68ABSLF	ABL6-8A	
—	—	18489	—	—	Dome 3/8"	3/16"	1/2" - 5/8"	13/16"	AD610ABS	AB6-10A	
19057	—	—	—	—	Lg Flange 5/8"	3/16"	1/2" - 5/8"	13/16"	AD610ABSLF	ABL6-10A	
19058	—	—	—	—	Dome 1/2"	1/4"	1/4" - 3/8"	39/64"	AD86ABS	AB8-6A	
Stainless Steel Rivet - Stainless Steel Mandrel											
—	19059	—	—	—	Dome 1/4"	1/8"	1/8" - 3/16"	21/64"	SSD43SSBS	SSB4-3S	
—	19060	—	—	—	Dome 1/4"	1/8"	3/16" - 1/4"	25/64"	SSD44SSBS	SSB4-4S	
19061	—	—	—	—	Dome 3/8"	3/16"	3/8" - 1/2"	11/16"	SSD68SSBS	SSB6-8S	
Stainless Steel Rivet - Steel Mandrel Replaces Ford No.: 383229-S To replace welded studs on body. (Use Auveco Rivet Gun No. 7915 w/ No. 7981 Nose Piece.)											
—	—	11104	11105	11106	Sm. Flange 3/16"	1/8"	3/16" - 1/4"	5/16"	R4357	SSBN4-3	

RIVET GUNS & ACCESSORIES



Steel Rivet Washers
Zinc

16791

For 1/8" Dia.
1/2" O.D.
U.P.: 100

15973

For 5/32" Dia.
1/2" O.D.
U.P.: 100

16792

For 3/16" Dia.
15/32" O.D.
U.P.: 100

RIVET GUNS & ACCESSORIES

19234

Economy Rivet Gun
With 3/32", 1/8", 5/32" and 3/16"
nose pieces. Overall Length: 10"
Replacement accessories are not available

UNIT PACKAGE: 1



7915

Pan'I Rivet Gun
with 3/32", 1/8", 5/32" and 3/16" nose pieces
Overall Length: 9-1/2"

UNIT PACKAGE: 1



19215
Replacement Jaws
For Auveco Rivet Gun
7915

UNIT PKG. 1 Set



Nose Pieces
For 7915 Rivet Gun

Auveco Part No.	Description	Unit Pkg.
7981	Use with 1/8" rivet 11104 to replace welded studs	1
7982	For 3/32" diameter rivets	1
7983	For 1/8" diameter rivets	1
7984	For 5/32" diameter rivets	1
7985	For 3/16" diameter rivets	1
7986	A set of one each of 7982, 7983, 7984 and 7985	1 Set

For the most up-to-date information on new items available from Auveco,
refer to the "Hot New Items" section of the Auveco website
(www.auveco.com)



11817

Rivet gun for setting 3/16" & 1/4" rivets.
Use to install "Peel-Type" Rivets
Comes complete with 3/16" and 1/4" standard
nose pieces plus a nose piece
for 1/4" "peel type" rivets. 22" long.

UNIT PACKAGE: 1

11817 Rivet Gun Accessories



19132

Nose piece
for 1/8"
standard rivets
UNIT PKG: 1



19133

Nose piece
for 3/16"
standard rivets
UNIT PKG: 1



19134

Nose piece
for 1/4"
standard rivets
UNIT PKG: 1



11853

Nose piece for
1/4" "peel type"
rivets.

UNIT PKG: 1



14799

Replacement jaws
repair kit for rivet gun 11817

UNIT PKG: 1



13808


For 3/16"

13809

For 1/4"

Nose pieces for setting
Auveco Klamp-Tite Rivets with a
Pneumatic Tool.

UNIT PKG: 1



19066

Rivet Gun
With nose pieces for
3/32", 1/8", 5/32", 3/16" & 1/4" diameter rivets.
Overall Length: 21"

UNIT PACKAGE: 1



17498

11817 Rivet Gun Extender Nosepiece Adapter Kit

To retrofit Auveco Rivet Gun 11817 with nosepiece
that extends the reach by 2-1/2" for a total of 5".

UNIT PACKAGE: 1

RIVET GUNS & ACCESSORIES

12087 Rivet Gun Tool & Accessories

Sec. 14

12087

Gun for setting Monobolts and conventional Avex and Stavex rivets. Comes complete with nose pieces for 1/8", 3/16" and 1/4" Avex rivets and 3/16" Stavex® rivets. Requires Nose Pieces 13825 and 19622 to set Monobolts. Will not set "Peel-Type" rivets.


UNIT PACKAGE: 1



13825

Nose piece for 1/4" monobolts

UNIT PKG: 1



13829

Nose piece for 3/16" conventional rivets.

UNIT PKG: 1



14577

Replacement jaws repair kit for 12087 monobolt setting tool.

UNIT PACKAGE: 1

RIVET GUNS FOR NYLON RIVETS



14155

Rivet Setter Gun (For Nylon Rivets)

For use with nylon blind rivets. An economical tool that provides the extra long pulling stroke needed to set nylon (plastic) rivets. It features all steel construction and full-size vinyl coated handles for smooth, easy operation. Not for use with metal rivets. 9-1/2" long

UNIT PACKAGE: 1



13756

Rivet Setter Gun (For Nylon Rivets)

For use with nylon (plastic) blind rivets. A durable tool that sets all sizes with a single stroke. All steel construction. Not for use with metal rivets. 6-1/2" long.

UNIT PACKAGE: 1





POP® MULTI-GRIP BLIND RIVETS

Functions In A Wide Range Of Material Thicknesses



The Multi-Grip rivet will serve in applications where solid and soft materials and thicknesses normally require several rivet sizes. Oversize, irregular or misaligned holes are automatically compensated for by the self-adjusting hole-filling capability. The mandrel head is retained in the rivet body, forming a tight, weather resistant seal.

Auveco Part No.	Head Style & Diameter	Rivet Dia.	Hole Size	Grip Range	Rivet Length Excluding Flange	Unit Pkg.	POP® No.
Aluminum Rivet, Steel Mandrel							
18742	Dome 1/4"	1/8"	.129"-.142"	1/32"-3/16"	21/64"	100	AD41-43BS
19033	Large Flange 3/8"	1/8"	.129"-.142"	3/64"-3/16"	21/64"	100	AD41-43BSLF
19025	Dome 1/4"	1/8"	.129"-.142"	5/32"-5/16"	15/32"	100	AD43-45BS
19034	Large Flange 3/8"	1/8"	.129"-.142"	5/32"-5/16"	15/32"	100	AD43-45BSLF
19026	Dome 1/4"	1/8"	.129"-.142"	1/4"-7/16"	39/64"	100	AD45-47BS
18743	Dome 5/16"	5/32"	.160"-.173"	3/64"-1/4"	13/32"	100	AD52-54BS
17468	Large Flange 15/32"	5/32"	.160"-.173"	3/64"-1/4"	13/32"	50	AD52-54BSLF
19027	Dome 5/16"	5/32"	.160"-.173"	1/8"-5/16"	1/2"	50	AD53-55BS
18744	Dome 3/8"	3/16"	.192"-.205"	1/16"-1/4"	7/16"	50	AD62-64BS
19036	Large Flange 5/8"	3/16"	.192"-.205"	1/16"-1/4"	7/16"	50	AD62-64BSLF
19028	Dome 3/8"	3/16"	.192"-.205"	3/16"-3/8"	5/8"	50	AD63-66BS
19029	Dome 3/8"	3/16"	.192"-.205"	1/4"-1/2"	47/64"	50	AD66-68BS
19037	Large Flange 5/8"	3/16"	.192"-.205"	1/4"-1/2"	47/64"	50	AD66-68BSLF
19030	Dome 3/8"	3/16"	.192"-.205"	7/16"-3/4"	1-1/16"	50	AD68-612BS
19031	Dome 1/2"	1/4"	.261"-.275"	5/64"-11/32"	39/64"	25	AD82-86BS
Aluminum Rivet, Stainless Steel Mandrel							
19038	Dome 3/8"	3/16"	.192"-.205"	1/16"-1/4"	7/16"	50	AD62-64SSBS
19039	Countersunk 11/32"	3/16"	.192"-.205"	3/16"-3/8"	9/16"	50	AK64-66SSBS



Auveco No.	Type	Color	O.E.M. Number	Hole Dia.	Panel Range (Grip)	A	B	C	D	Unit Pkg
17220	3	Black	GM: 21094747	5/32"	7/64"-7/32"	1-7/8"	3/4"	3/32"	**	50
15187	6	Black	Ford: N804583S	4mm	6mm-10.5mm	65mm	26mm	2.5mm	***	25
13746	1	Black	GM: 20612732	3/16"	1/16"-9/64"	1-7/8"	23/32"	3/32"	11/32"	25
18501	1	Black	Chry: 6502689	3/16"	5/32"-1/4"	1-27/32"	21/32"	1/16"	11/32"	25
13747	1	Black	GM: 20423647 Ford: N804189S	13/64"	1/16"-11/64"	1-7/8"	23/32"	1/8"	15/32"	25
14005	1	Black	GM: 20465395, Chry: 6004212	13/64"	1/8"-5/32"	1-13/16"	21/32"	1/16"	11/32"	25
13748	1	Black	GM: 20432975 VW:175-853-57701C Chry: 6503800 Ford: N804343S	13/64"	1/8"-15/64"	1-7/8"	25/32"	1/16"	15/32"	25
13754	1	Black	Chry: 6500859	13/64"	1/8"-3/16"	1-7/8"	25/32"	1/16"	15/32"	25
13755	1	Black	Chry: 6500898	13/64"	15/64"-25/64"	2"	1"	1/16"	15/32"	25
14004	1	Black	GM: 25524005	15/64"	11/64"-11/32"	2-3/64"	1-1/8"	3/32"	1/2"	25
14023	1	Black	GM: 10036503	15/64"	5/32"-5/16"	2-1/8"	1-5/32"	3/32"	5/8"	25
18913	1	Black	Chry: 6503938	15/64"	5/32"-9/32"	2-5/32"	1-1/16"	3/32"	1/2"	25
20754	1	Black	BMW: 51-71-7-002-953-2	6mm	2.5mm-4.8mm	53mm	22mm	2.5mm	20mm	25
18028	2	Black	Chry: 4630088	1/4"	1/32"-11/64"	2-3/16"	13/16"	3/32"	21/32"	25
18031	2	Black*	Chry: 4630660	1/4"	1/32"-3/16"	2-1/8"	3/4"	3/32"	21/32"	25
15488	4	Black	GM: 10069112	1/4"	3/64"-5/32"	2-3/16"	15/16"	7/64"	13/16"	50
18242	5	Black	Chry: 6501509	1/4"	3/64"-3/16"	2-7/32"	1-1/8"	3/32"	25/32"	25
13749	1	White	GM: 14070914	1/4"	5/32"-15/64"	2-3/16"	23/32"	3/32"	21/32"	25
18502	1	Black	General Purpose	1/4"	5/32"-1/4"	2-3/16"	23/32"	3/32"	21/32"	25
15495	1	Black	Ford: N804472S AMC: 8934-202-078	1/4"	5/32"-9/32"	2-3/16"	1-1/8"	3/32"	1/2"	25
21028	1	Black	GM: 15614746	1/4"	5/32"-3/8"	2-3/16"	1-1/8"	3/32"	21/32"	25
18108	1	Black	Chry: 34201631	1/4"	5/32"-3/8"	2-7/32"	1-1/8"	3/32"	11/16"	25

* Black Rivet Body, White Mandrel

** 5/16" x 19/32"


*** 8.5mm x 15.5mm

(Continued on next page)


Sec. 14 AUTOMOTIVE O.E.M. NYLON BLIND RIVETS (Cont.)



Type 1



Type 2



Type 3






Type 4



Type 5



Type 6



Auveco No.	Type	Color	O.E.M. Number	Hole Dia.	Panel Range (Grip)	A	B	C	D	Unit Pkg
17496	1	Gray	AMC: 8934-201-835	1/4"	5/32"-3/8"	2-7/32"	1-1/8"	3/32"	11/16"	25
14012	1	White	GM: 15506827	1/4"	5/32"-13/32"	2"	1-1/8"	3/32"	21/32"	25
13751	1	Black	GM: 10184895 Ford: N803862-S Chry: 6501559, 6506007-AA	1/4"	5/32"-13/32"	2-3/16"	1-3/32"	3/32"	1/2"	25
13750	1	Black	GM: 14063981 Ford: N803043-S Chry: 6500911	1/4"	5/32"-13/32"	2-3/16"	1-3/32"	3/32"	21/32"	25
15491	1	Black	Ford: N804759-S	1/4"	19/64"-27/64"	2-1/8"	13/16"	3/32"	21/32"	25
17101	1	Black	Chry: 4370138, 6503860 Ford: N804675S	1/4"	5/16"-15/32"	2-9/32"	1-1/4"	3/32"	21/32"	25
13752	1	Black	GM: 15955172, 20421672	17/64"	3/32"-3/16"	1-7/8"	25/32"	3/32"	1/2"	25
13753	1	Black	GM: 20433026 VW: 175-853-577A	17/64"	3/32"-3/16"	1-7/8"	25/32"	3/32"	23/32"	25
15490	1	Black	GM: 10109689, 12337915	9/32"	3/32"-15/64"	2-3/16"	15/16"	3/32"	23/32"	25

Note: Use rivet guns 13756 or 14155 to install all of the above rivets.

*When The World Thinks Of
Body Hardware & Specialty Fasteners,
Only One Name Comes To Mind..... Auveco*



What Makes Avex® Different...And Better?


The Avex® rivet adds important... and exclusive...features to those offered by ordinary blind rivets. The unique advantages designed into the Avex® rivet allow for its use:

In wide-tolerance holes. Since the rivet can expand up to its own head diameter, accurate hole sizing or alignment is not necessary.

To pull sheets together. The extraordinary rivet tail expansion automatically effects superior clamp-up action on the parts being assembled.


Over a vast range of thicknesses. The "dubble-bubble" expansion feature offers the capability to fasten securely in both thick and thin grip ranges with a single length rivet.

While providing a sealed stem. The rivet material flows both behind and in front of the mandrel insuring a positively retained and sealed stem.



Dome Head

Aluminum Rivets
Steel mandrels
(Zinc & Yellow)



120° Countersunk


Auveco Part No.				Head (Flange) Style	Rivet Dia.	Grip	Length L	Flange Dia. HD	Flange Height HH	Hole Size
Unit Package										
50	100	500	1000							
.....	10336	10337		Countersunk	1/8"	To 1/4"	15/32"	.205"	.030"	.136"
.....	10348	10349	10350	Dome	1/8"	To 5/16"	1/2"	.215"	.044"	.136"
.....	10351	10352		Dome	5/32"	To 1/4"	15/32"	.255"	.057"	.166"
.....	10339			Countersunk	5/32"	To 5/16"	17/32"	.245"	.032"	.166"
.....	10354	10355	10356	Dome	3/16"	To 1/4"	17/32"	.349"	.070"	.199"
.....	10357	10358	10359	Dome	3/16"	To 7/16"	23/32"	.349"	.070"	.199"
.....	10342	10343		Countersunk	3/16"	To 5/16"	19/32"	.339"	.050"	.199"
.....	10345	10346		Countersunk	3/16"	To 1/2"	25/32"	.339"	.050"	.199"
17654	17655			Dome	1/4"	To 11/32"	21/32"	.500"	.094"	.268"

Avex® Brazier Head Rivets



Auveco Part No.	Rivet Dia.	Grip Range	Rivet Body Length	Head Dia.	Unit Pkg.
Aluminum Rivet -Steel Mandrel (Zinc & Yellow)					
17432	3/16"	1/16"-1/4"	1/2"	15/32"	50
17433	3/16"	3/16"-7/16"	11/16"	15/32"	50


Large Head 3/16" Plywood Rivets



Non-Structural -Break Mandrel Rivets
Aluminum Rivet, Steel Mandrel (Plated)

Auveco Part No.	Grip	Hd. Dia.	Head Thick.	Hole Size & Drill	Unit Pkg.
13805	3/8"-1/2"	5/8"	3/32"	.192 To .196"	50
13807	7/8"-1"	5/8"	3/32"	#11	50

Stavex® Large Flange Rivets



- Large flange head enables soft, pliable materials to be fastened
- All steel construction (zinc plated) provides high shear and tensile values.
- Typical applications:
 - Plastic energy absorber strip to automotive bumper
 - Plywood liners to both sidewalls and roofs in truck bodies and trailers

Auveco Part No.	Dia.	Grip	Flange Dia.	Hole Size	Unit Pkg.
16988	3/16"	3/16"-1/4"	5/8"	.192-.196"	25
16989	3/16"	1/4"-3/8"	5/8"	.192-.196"	25
16990	3/16"	3/8"-1/2"	5/8"	.192-.196"	25

Sec. 14

AUVECO KLAMP-TITE RIVET

Largest Blind Head

Mandrel Breaks Flush With Top Of Rivet Head Anywhere Within Grip Range.
Fills Hole Tightly, High Clamp-Up, Water Tight Capability, Fully Cored




Material: Rivet 5056 Aluminum, Mandrel -7075 Aluminum
Finish: Wax (Do Not Remove)

Structural - Self Plugging
Head Style - Protruding

Note: For use with pneumatic tool using (13808-3/16") and (13809-1/4") nose pieces on page 240.



Auveco Part No.	Unit Pkg.	Rivet Dia.	Grip Range	Hole And Drill Size	Mand. Dia.	Rivet Dia.	Head Dia.	Head Thick	Rivet Length Max.
13766	50	3/16	3/64"-1/4"	.204-.209 (#5)	.103	.200	.445	.088	.890
13767			3/16"-3/8"						.985
13768			3/8"-9/16"						1.045
13769	25	1/4	3/64"-1/4"	.252-.262 (F)	.136	.245	.560	.113	.920
13770			3/16"-3/8"						1.045




BLIND TACKING RIVETS

Nom. Rivet Dia.	Hole Size And Drill Number	W Mand. Dia.	D Rivet Dia.	Protruding Head		Large Flange Head	
				H Head Dia.	E Max.	H Head Dia.	E Max
1/4"	.257-.261 (F)	.151	.250	.500	.080	.750	.107

*L -Length varies with each grip length

Steel Rivet -Plated
Steel Mandrel -Coated

Non-structural -Break mandrel rivets
Conform to IFI-114 Standards



Auveco Part No.			Head Style	Rivet Dia.	Grip	Rivet Length L
Unit Package						
25	50	100				
—	13793	—	Large Flange	1/4"	1/8"-1/4"	1/2"
13781	—	13782	Protruding	1/4"	1/4"-3/8"	5/8"
—	13794	—	Large Flange	1/4"	1/4"-3/8"	5/8"
13783	—	13784	Protruding	1/4"	3/8"-1/2"	3/4"
—	13795	—	Large Flange	1/4"	3/8"-1/2"	3/4"
13796	—	—	Large Flange	1/4"	1/2"-5/8"	13/16"
13787	—	13788	Protruding	1/4"	5/8"-3/4"	1"
13797	—	—	Large Flange	1/4"	5/8"-3/4"	1"



Type 2


Rivets that fasten securely into thick and thin materials.
Will pull soft or brittle materials. Can be used in an oversized hole.



Type 1

Auveco Part No.	Illustration Type	Head (Flange) Type & Diameter	Rivet Dia.	Grip Range	Rivet Length Excluding Flange	Unit Pkg.
Aluminum Rivet, Aluminum Mandrel						
17471	1*	Dome	5/16"	1/8"	5/64"-3/8"	25
19062	1	Dome	5/16"	5/32"	0-1/4"	25
16895	2	Dome	15/32"	3/16"	5/64"-3/8"	25


* Not A Split Type



Nom. Rivet Dia.	Hole Size And Drill Number	W Mand. Dia.	D Rivet Dia.	Protruding Head	
				H Head Dia.	E Head Thick
3/16	.191-.201 (#11)	.118	.187	.390	.070
1/4	.261-.272(G)	.157	.257	.515	.100

Typical Rivet Shear And Tensile Strength (lbs) and Mandrel Push-Out When Installed In Nominal Grip.

Rivet Dia.	Aluminum Rivet Aluminum Mandrel			Steel Rivet Steel Mandrel		
	Shear	Tensile	Mandrel Push-Out	Shear	Tensile	Mandrel Push-Out
3/16	625	500	50	1300	1000	100
1/4	1300	890	100	2400	2150	250



Auveco Part No.	Dia	Grip	DIM "L"	DIM "F"	Head Style	Material	Unit Pkg.
12080	3/16"	.062/.270	.406	.748	Protruding	Steel-Zinc Plated	25
12088	3/16"	.062/.270	.406	.748	Protruding	Steel-Zinc Plated	100
12081	3/16"	.214/.420	.531	.882	Protruding	Steel-Zinc Plated	25
12089	3/16"	.214/.420	.531	.882	Protruding	Steel-Zinc Plated	100
12083	3/16"	.214/.420	.531	.846	Protruding	Aluminum	25
12091	3/16"	.214/.420	.531	.846	Protruding	Aluminum	100
12084	1/4"	.080/.375	.550	.971	Protruding	Steel-Zinc Plated	25
12092	1/4"	.080/.375	.550	.971	Protruding	Steel-Zinc Plated	100
12085	1/4"	.350/.625	.855	1.123	Protruding	Steel-Zinc Plated	25
12093	1/4"	.350/.625	.855	1.123	Protruding	Steel-Zinc Plated	100
12086	1/4"	.080/.375	.550	.961	Protruding	Aluminum	25
12094	1/4"	.080/.375	.550	.961	Protruding	Aluminum	100
13773	1/4"	.350/.625	.810	1.174	Protruding	Aluminum	25
13774	1/4"	.350/.625	.810	1.174	Protruding	Aluminum	100

Nose piece for 12087 Gun
Refer to page 241 for illustration

Monobolt Nosepiece

13825 For 1/4" Monobolt

UNIT PACKAGE: 1

The System
Blind Installation -The single side installation feature of the Auveco Monobolt System allows one operator to produce high quality structural joints in seconds. Use of the Monobolt power tool does not require special skill or training, because the tool completely controls the installation cycle.

Multi-Grip One size Monobolt fastener will function effectively in a wide range of material thicknesses (Example: .080" to .375"). This versatility decreases the potential for production errors and reduces fastener inventory requirements.

Uniform Clamping Action
Monobolt fasteners are engineered to draw materials together by developing positive clamping action.



And Its Advantages
Structural Fastening An installed Monobolt fastener yields high shear and tensile values. Conventional fasteners can be replaced by Monobolt without compromising structural requirements.

Positive Stem Retention: At the completion of the installation cycle, the stem is mechanically locked into the Monobolt shell, creating a vibration-proof joint of assured structural quality.

Flush Break Stem: Within the specific grip range for each size, Monobolt fastener, the stem is designed to break flush with the low profile head. Secondary finishing operations, such as grinding or milling, are not necessary to achieve good product appearance.

Complete Hole Fill: During installation, the Monobolt shell expands into 360° contact with the walls of the parent material. This feature, in conjunction with positive stem retention, produces weather resistant joints.

Quiet, Safe Installation: The Monobolt System, operating at 85db ("A" Weighted), complies with OSHA regulation governing plant noise levels and operator safety.

How It Works



1. The Monobolt fastener is loaded into the nose of the placing tool and inserted in a prepared hole. As the tool is actuated, the pulling jaws grip the Monobolt stem.



2. An axial pull draws the stem through the shell, expanding it radially. During this phase, the hole is completely filled and work pieces are drawn together.



3. When the stem reaches a pre-determined position within the Monobolt shell, it separates flush with the head profile regardless of work piece thickness. Simultaneously, the stem section remaining in the shell is mechanically locked in place by the Monobolt tool.

12087

Gun for setting Monobolts and conventional Avex and Stavex rivets. Comes complete with nose pieces for 1/8", 3/16" and 1/4" Avex® rivets and 3/16" Stavex® rivets. Requires Nose Pieces 19622 and 13825 to set Monobolts. Will not set "Peel-Type" rivets.



UNIT PACKAGE: 1



High strength Ultra grip rivets feature a positive mechanical locking system that provides superior holding power. This system also guarantees 100% mandrel retention that's visually verifiable. Can be set with Auveco rivet gun 11817.

Auveco Part No.	Rivet Dia.	Grip Range	Rivet Body Length	Head Dia.	Unit Pkg.	Conversion			
						Pop® Ultra Grip	Cherry Monobolt	Avdel Monobolt	Huck Magna-Lock
Aluminum Rivet -Aluminum Mandrel									
17421	3/16"	1/16" -17/64"	13/32"	3/8"	25	AD627OUG	BAPV-64	2774-0613	MGLP-B6-4
17422	3/16"	1/16" -7/16"	9/16"	3/8"	25	AD6437UGX	——	2774-0617	MGLP-B6-E
17423	1/4"	5/64" -3/8"	9/16"	1/2"	25	AD8375UG	BAPV-86	2774-0817	MGLP-B8-6
17424	1/4"	5/64" -5/8"	13/16"	1/2"	15	AD8625UGX	——	2774-0824	MGLP-B8-E
Steel Rivet -Steel Mandrel									
17425	3/16"	1/16" -17/64"	13/32"	3/8"	25	SD627OUG	SSPV-64	2771-0613	MGLP-R6-4
17426	3/16"	1/16" -7/16"	9/16"	3/8"	25	SD6437UGX	——	2771-0617	MGLP-R6-4
17427	1/4"	5/64" -3/8"	9/16"	1/2"	25	SD8375UG	SSPV-86	2771-0817	MGLP-R8-6
17428	1/4"	5/64" -5/8"	13/16"	1/2"	15	SD8625UGX	——	2771-0824	MGLP-R8-E
Stainless Steel Rivet -Stainless Steel Mandrel									
17429	3/16"	1/16" -17/64"	13/32"	3/8"	10	SSD627OUG	CCPV64	2711-0613	MGLP-U6-4



Closed -End Rivets
Can Be Set With Auveco Rivet Gun 7915.

Auveco Part No.	Head (Flange) Type & Diameter		Rivet Dia.	Grip Range	Rivet Length Excluding Flange	Unit Pkg.
Black Aluminum Rivet -Black Aluminum Mandrel						
17408	Dome	15/64"	1/8"	13/64" - 9/32"	15/32"	50
17409	Dome	3/8"	3/16"	1/8" - 3/16"	15/32"	25
17410	Dome	3/8"	3/16"	3/8" -1/2"	11/16"	25
Aluminum Rivet -Aluminum Mandrel						
17419	Dome	3/8"	3/16"	1/16" - 1/8"	11/32"	50
17420	Dome	3/8"	3/16"	1/8" - 1/4"	15/32"	50
Aluminum Rivet -Steel Mandrel						
17411	Dome	15/64"	1/8"	1/16" - 1/8"	5/16"	50
17413	Dome	15/64"	1/8"	5/16" - 3/8"	9/16"	50
19065	Countersunk	5/16"	5/32"	1/8" - 3/16"	13/32"	100
17414	Dome	3/8"	3/16"	1/16" - 1/8"	11/32"	50
17415	Dome	3/8"	3/16"	1/8" - 1/4"	15/32"	50
17416	Dome	3/8"	3/16"	1/4" - 3/8"	19/32"	50

"PEEL-TYPE" SPECIALTY RIVETS

Sec. 14

Rivets Are Listed In Columns By Diameter Then By Flange Diameter & Lastly By Minimum Grip



19462
(W525170-S)
"Peel-Type Rivet
3/16" Diameter
Grip: 1/32"-1/4"
Flange Diameter: 1/2"
Aluminum Rivet
Steel Mandrel (Zinc)
Heat Shield &
Outer Moulding
Ford Continental,
Crown Victoria,
Explorer, Grand Marquis,
Mark VII, Ranger, Sable
Taurus & Town Car
1995-On

UNIT PACKAGE: 25



19110
(W525172-S)
"Peel-Type" Rivet
1/4" Diameter
Grip: 1/32"-7/32"
Flange Diameter: 1/2"
Aluminum Rivet
Steel Mandrel (Zinc)
Glass, Regulator Assembly
& Remote Latch Assembly
Ford Mustang &
Lincoln Continental
1994-On

UNIT PACKAGE: 25



11852
(Ford: 388047-S100;
GM: 14078435)
"Peel-Type" Rivet
1/4" Diameter
Grip: 5/64" - 7/64"
Flange Diameter 1/2"
Recess Under Head
Aluminum Rivet
Steel Mandrel
Attaches Outside
Door Handle
Ford 1978-On
Heat Shield Attachment
GM

UNIT PACKAGE: 25



19414
(W525170-S417)
"Peel-Type" Rivet
3/16" Diameter
Grip: 1/32"-1/4"
Flange Diameter: 1/2"
Aluminum Rivet (Black)
Steel Mandrel (Zinc)
Side Door
Lock Attachment
Mercury Villager
1995-On

UNIT PACKAGE: 25



19461
(W525172-S417)
"Peel-Type" Rivet
1/4" Diameter
Grip: 1/32"-7/32"
Flange Diameter: 1/2"
Aluminum Rivet (Black)
Steel Mandrel (Zinc)
Outside Door Handle
Ford Crown Victoria,
Econoline, Explorer,
Grand Marquis, Ranger,
Sable, Taurus & Windstar
1995-On

UNIT PACKAGE: 15



12653
(388047-S102)
"Peel-Type" Rivet
Dia: 1/4"
Grip: 3/32"-1/8"
Flange Dia: 1/2"
Aluminum Rivet (Black)
Steel Mandrel
Door Handle Assembly
Ford 1981-On

UNIT PACKAGE: 25



11620
(GM: 9436175;
Ford: 385189-S100;
Chrys: 6031115)
"Peel-Type" Rivet
1/4" Diameter
Grip: 1/32" - 9/64"
Flange Diameter: 1/2"
Aluminum Rivet
Steel Mandrel
Window Regulators
GM, Ford & Chrysler
1971-On
Use with Auveco Tool
11817 & Nose Piece
11853

UNIT PACKAGE: 25

16837
Same as 11620 Except For
Packing
UNIT PACKAGE: 50

Use 11817 Rivet Gun
With 11853
Nose Piece
(Page 240)
To Set All
"Peel-Type" Rivets



15684
(20713843)
"Peel-Type" Rivet
1/4" Diameter
Grip 7/64" - 11/64"
Flange Diameter 1/2"
Recess Under Head
Aluminum Rivet,
Steel Mandrel
Used On Window
Regulators
& Door Lock Assemblies
GM A & J Cars

UNIT PACKAGE: 25

Sec. 14

"PEEL-TYPE" SPECIALTY RIVETS

Rivets Are Listed In Columns By Diameter Then By Flange Diameter & Lastly By Minimum Grip



12655

(GM: 9437486;
Chry: 6032926)

"Peel-Type" Rivet
1/4" Diameter
Grip: 9/64" - 3/16"
Flange Diameter: 1/2"
Aluminum Rivet
Steel Mandrel
Window Regulators
GM 1981-On

UNIT PACKAGE: 25



11621

(Ford: 385323-S100;
Chrys: 6031091;
GM: 9437938)

"Peel-Type" Rivet
1/4" Diameter
Grip: 33/64" - 19/32"
Flange Diameter: 1/2"
Aluminum Rivet
Steel Mandrel
Window Regulator
GM, Ford & Chrysler
1976-On
Use with Auveco
Tool 11817 &
Nose Piece 11853

UNIT PACKAGE: 10



19420

(W525174S)

"Peel-Type" Rivet
1/4" Diameter
Grip: 13/64" - 13/32"
Flange Diameter: 5/8"
Aluminum Rivet
Steel Mandrel (Zinc)
Door Handle
Ford Ranger
1997-On

UNIT PACKAGE: 25



14486

(GM: 9437486;
Chry: 6032926)

"Peel-Type" Rivet
1/4" Diameter
Grip: 9/64" - 3/16"
Flange Diameter: 1/2"
Aluminum Rivet
Steel Mandrel
Used On Window
Regulators,
Quarter Vent Handle
Assemblies & Electrical Door
Lock Linkage.
GM & Chrysler 1981-On

UNIT PACKAGE: 25



12658

(GM: 12338153,
20184399;
Ford: 389268-S100)

"Peel-Type" Rivet
1/4" Diameter
Grip 11/16" - 3/4"
Flange Diameter 1/2"
Aluminum Rivet
Steel Mandrel
Window Regulator
GM & Ford 1979-On

UNIT PACKAGE: 25



19456

(W525175-S)

"Peel-Type" Rivet
1/4" Diameter
Grip: 25/64" - 21/32"
Flange Diameter: 5/8"
Aluminum Rivet
Steel Mandrel (Zinc)
Front Door Window
Ford Continental,
Crown Victoria,
Explorer, Grand Marquis,
Mark VIII, Mustang,
Ranger, Sable,
Taurus, Town Car
& Windstar
1996-On

UNIT PACKAGE: 15



20402

(9437643)

"Peel-Type" Rivet
1/4" Diameter
Grip: 3/16" - 1/4"
Flange Diameter: 1/2"
Aluminum Rivet
Steel Mandrel (Zinc)
Window Regulator
Saturn
1993 - On

UNIT PACKAGE: 25



18396

(N808594-S100)

"Peel-Type" Rivet
1/4" Diameter
Grip: 1/8" - 5/16"
Flange Diameter: 5/8"
Aluminum Rivet
Steel Mandrel
(Zinc & Yellow)
Door Lock Actuator
Ford

UNIT PACKAGE: 25



18167

(Ford: N804193-S100;
GM: 9441592, 15672713)

"Peel-Type" Rivet
1/4" Diameter
Grip: 3/32" - 9/64"
Flange Diameter: 3/4"
Aluminum Rivet (Black)
Steel Mandrel
Front Door Handle
& Door Lock Actuator
Tempo, Topaz, T-Bird
& Cougar 1984-On
Rocker Panel Moulding
Chevrolet Beretta & Corsica
1996 - 92

UNIT PACKAGE: 25

"PEEL-TYPE" & SPECIALTY RIVETS

Sec. 14

Rivets Are Listed In Columns By Diameter Then By Flange Diameter & Lastly By Minimum Grip




19458
(N808689-S417)
"Peel-Type" Rivet
1/4" Diameter
Grip: 1/8"-21/64"
Flange Diameter: 3/4"
Aluminum Rivet (Black)
Aluminum Mandrel
Door Lock Actuator
Ford Continental,
Crown Victoria,
F Series Truck,
Grand Marquis,
Mark VII, Mustang,
Ranger, Sable, Taurus,
Town Car & Windstar
1995-On
UNIT PACKAGE: 10



20987
Not Available From O.E.M.
3/32" Diameter
Shoulder Diameter: 1/8"
Grip: Up To 3/32"
Flange Diameter: 3/16"
Aluminum Rivet
Aluminum Mandrel
Replaces welded on studs
for attaching stud style
moulding clips
UNIT PACKAGE: 25



10658
Dia: 3/32"
Grip: 1/8"-1/4"
Flange Dia: 3/16"
Aluminum Rivet
Aluminum Mandrel
REPLACES WELDED STUDS ON
BODY PANELS.
UNIT PACKAGE: 100



18499
1/8" Diameter
Grip: 1/8"-3/16"
Flange Dia: 3/16"
Aluminum Rivet
Aluminum Mandrel
Trim Moulding Attachment
UNIT PACKAGE: 100



18500
1/8" Diameter
Grip: 3/16"-1/4"
Flange Dia: 3/16"
Aluminum Rivet
Aluminum Mandrel
Trim Moulding Attachment
UNIT PACKAGE: 100



11104 U.P.: 100
11105 U.P.: 500
11106 U.P.: 1000
(Ford: 383229-S)
Dia: 1/8"
Grip: 3/16"-1/4"
Flange Dia: 3/16"
Stainless Steel Rivet
Steel Mandrel
REPLACES WELDED STUDS
ON BODY PANELS.
USE AUVECO RIVET GUN 7915
& NOSE PIECE 7981.



7981
Rivet Gun Nose Piece
Used to set Auveco
Rivet 11104
With Rivet Gun 7915
UNIT PACKAGE: 1



20788
(90269-04051)
1/8" (3.2mm) Diameter
Grip: 3/64" - 1/8"
(1.2mm - 3.4mm)
Flange Diameter: 15/64" (6mm)
Aluminum Rivet
With Plastic Cap
Steel Mandrel
Lexus
1998 - On
UNIT PACKAGE: 10



17408
(N803933-S101)
1/8" Diameter
Grip: 13/64"-9/32"
Flange Diameter: 15/64"
Closed End
Aluminum Rivet (Black)
Aluminum Mandrel (Black)
Luggage Rack
Ford
UNIT PACKAGE: 50



17469
(375936-S)
Diameter: 1/8"
Grip: 1/32"-1/8"
Flange Dia: 1/4"
Stainless Steel Rivet
Stainless Steel Mandrel
Attaches Body Side Mouldings
(Sets flush, does not leave a raised
stud)
UNIT PACKAGE: 100



18303
1/8" Diameter
Grip: 1/16"-1/8"
Flange Diameter: 1/4"
Aluminum Rivet (Black)
Aluminum Mandrel
Attachment Of Rear
Window Trim
Moulding
Ford Explorer
1990-On
UNIT PACKAGE: 50



17470
(378527)
Diameter: 1/8"
Grip: 1/8"-3/16"
Flange Dia: 1/4"
Aluminum Rivet
Aluminum Mandrel
Attaches Climate Controls
Ford
UNIT PACKAGE: 50

Rivets Are Listed In Columns By Diameter Then By Flange Diameter & Lastly By Minimum Grip



17467
(375203S)

Diameter: 1/8"
Grip: 1/8"-3/16"
Flange Dia: 1/4"
Stainless Steel Rivet;
Steel Mandrel
Attaches Body Side
Moulding Ret.
(Sets flush, does not
leave a raised stud)
Ford

UNIT PACKAGE: 100



20787
(90269-04006)

1/8" (3.2mm) Diameter
Grip: 3/64" - 5/32"
(1.2mm - 4mm)
Flange Diameter:
5/16" (8mm)
Aluminum Rivet
With Plastic Cap
Steel Mandrel
Lexus
1998 - On

UNIT PACKAGE: 10



20628
(90269-04050)

1/8" (3.2mm) Diameter
Grip: 5/32" - 5/16"
(4mm - 8mm)
Flange Diameter:
5/16" (8mm)
Aluminum Rivet
With Plastic Cap
Steel Mandrel
Windshield, Side &
Trunk Moulding
Lexus GS300, 400, 430
& SC430
1998 - On

UNIT PACKAGE: 15



21114
(11610210)

1/8" Diameter
Grip: 5/32" - 5/16"
Flange Diameter: 1/4"
Aluminum Rivet
Aluminum Mandrel
Rear Bumper Fascia
Chevrolet Equinox
2005 - On

UNIT PACKAGE: 50



20627
(90269-04053)

1/8" (3.2mm) Diameter
Grip: 3/64" - 3/16"
(1mm - 4.8mm)
Flange Diameter:
5/16" (8mm)
Aluminum Rivet (Black)
With Plastic Cap
Steel Mandrel (Black)
Mouldings
Toyota Landcruiser
1998 - On

UNIT PACKAGE: 10



17615
(6032856)

Diameter: 1/8"
Grip: 3/16"-3/8"
Flange Diameter: 5/16"
Aluminum Rivet (Black)
Steel Mandrel
Body Side Moulding
& Universal Applications
Chrysler

UNIT PACKAGE: 50



19202

1/8" Diameter
Grip: 3/16"-1/4"
Flange Diameter: 1/4"
Aluminum Rivet (Black)
Aluminum Mandrel
GM & General Purpose

UNIT PACKAGE: 100



19406
(6035414)

Diameter: 1/8"
Grip: 1/16"-1/4"
Flange Diameter: 5/16"
Aluminum Rivet
Steel Mandrel
(Zinc & Yellow)
Cladding To
Fender Attachment
Chrysler Concorde,
Eagle & Intrepid
1997-On

UNIT PACKAGE: 50



18304

1/8" Diameter
Grip: 1/16"-1/8"
Flange Diameter: 3/8"
Aluminum Rivet (Black)
Steel Mandrel
Attachment Of Door
Glass Moulding
Ford 1993-On

UNIT PACKAGE: 50



19657
(6034848)

1/8" Diameter
Grip: 1/32"-3/16"
Flange Diameter: 5/16"
Aluminum Rivet
Steel Mandrel
(Zinc & Yellow)
Rocker Panel & Cladding
Chrysler LH Series
1993-On

UNIT PACKAGE: 50



12656
(20325696)

Dia: 1/8"
Grip: 1/8" - 3/16"
Flange Dia: 5/16"
Aluminum Rivet
Steel Mandrel
Rear Window Gasket
Attachment
GM 1981-On

UNIT PACKAGE: 50



16834
(N805759-S100)

Diameter: 1/8"
Grip: 1/8"-3/16"
Flange Diameter: 3/8"
Aluminum Rivet (Black)
Aluminum Mandrel
Windshield Side Rail
Ford T-Bird &
Mercury Cougar
1989-On

UNIT PACKAGE: 50

SPECIALTY RIVETS

Sec. 14

Rivets Are Listed In Columns By Diameter Then By Flange Diameter & Lastly By Minimum Grip



16686
(9432552)

Dia: 1/8"
Grip: 1/8" - 3/16"
Flange Dia: 3/8"
Aluminum Rivet
Steel Mandrel
Large Flange
Multi-Purpose Rivet
GM
1978-On

UNIT PACKAGE: 100



19419
(N811460-S100)

1/8" Diameter
Grip: 1/8"-3/16"
Flange Diameter: 3/8"
Steel Rivet (Black)
Steel Mandrel
(Zinc & Yellow)
Door Moulding
Ford Taurus
1996-On

UNIT PACKAGE: 15



21082
(75547-51021)

1/8" (3.2mm) Diameter
1/4" (6.3mm) Nylon Shoulder
Diameter
Grip: 1/32" - 1/16"
(.8mm - 1.5mm)
Flange Diameter:
13/32" (10.3mm)
Aluminum Rivet
With Plastic Cap
Steel Mandrel
Windshield
Lexus IS 250, IS 350 & IS F
2006 - On
Toyota 2002 - On

UNIT PACKAGE: 15



18461
(N807620-S100)

Split-Type Rivet
5/32" Diameter
Grip: 3/64"-1/4"
Flange Diameter: 5/16"
Aluminum Rivet (Black)
Aluminum Mandrel
Wheel Openings
Lincoln 1994-On

UNIT PACKAGE: 25



20971
(003-990-94-97)

Split-Type Rivet
5/32" (4mm) Diameter
Grip: 3/64" - 9/32"
(1mm - 7mm)
Flange Diameter:
5/16" (8mm)
Aluminum Rivet
Aluminum Mandrel
Mercedes-Benz
2004 - On

UNIT PACKAGE: 25



21113
(01515-0009U)

Split-Type Rivet
5/32" (4mm) Diameter
Grip: 3/64" - 9/32"
(1mm - 7mm)
Flange Diameter:
5/16" (8mm)
Aluminum Rivet (Black)
Aluminum Mandrel
Bumper
Nissan Pathfinder
2006 - On

UNIT PACKAGE: 25



20383
(90084-26002)

5/32" (4mm) Diameter
Grip: 1/16" - 1/4"
(1.6mm - 6.3mm)
Flange Diameter:
5/16" (8mm)
Aluminum Rivet
Aluminum Mandrel
Door Window Moulding
Toyota Camry 1997 - On

UNIT PACKAGE: 50



16687
(GM: 9432137;
Chrys: 6032138)

Diameter: 5/32"
Grip: 1/8"-3/16"
Flange Diameter: 5/16"
Aluminum Rivet,
Steel Mandrel
Countersunk Head
Trunk Lock
Swivel Emblem Rivet
Requires nosepiece 16688
GM 1973-On

UNIT PACKAGE: 25



16688

Rivet Gun Nosepiece
Used to set Auveco Rivet 16687

UNIT PACKAGE: 1



17177
(22093245)

Dia: 5/32"
Grip: 1" - 1-15/64"
Flange Dia: 5/16"
Aluminum Rivet
Aluminum Mandrel
Door Lock Actuator
GM 1990-On

UNIT PACKAGE: 25



20629
(6036148-AA)

Split-Type Rivet
5/32" Diameter
Grip: 3/64" - 1/4"
Flange Diameter: 7/16"
Aluminum Rivet (Black)
Aluminum Mandrel
Front Bumper, Trim Panel,
Instrument Panel &
Running Boards
Chrysler
1999 - On

UNIT PACKAGE: 25



20398
(W700636-S303)

11/64" (4.4mm) Diameter
Grip: Up to 15/64" (6mm)
Flange Diameter:
3/8" (9.5mm)
Aluminum Rivet
(Black) With Plastic Cap
Stainless Steel Mandrel
Luggage Rack,
Trunk & Bumpers
Ford
2000 - On

UNIT PACKAGE: 15

Rivets Are Listed In Columns By Diameter Then By Flange Diameter & Lastly By Minimum Grip



17468

(16715497)

Dia: 5/32"
Grip: 3/64"-1/4"
Flange Dia: 15/32"
Aluminum Rivet
Steel Mandrel
Attaches Support
Rails To Load
Floor
GM

UNIT PACKAGE: 50



18169

(15956062)

3/16" Diameter
Grip: 1/8"-1/4"
Flange Diameter: 11/32"
Aluminum Rivet &
Steel Mandrel
Door Assembly
GM Trucks
C, K Models
1994-On

UNIT PACKAGE: 25



20830

(-904-374-01)

3/16" (4.8mm) Diameter
Grip: 1/16" - 1/4"
(1.6mm-6.4mm)
Flange Diameter:
3/8" (10mm)
Aluminum Rivet
Steel Mandrel
(Zinc & Yellow)
Inner Fender
Volkswagen

UNIT PACKAGE: 25



19376

(979878-6)

5/32" (4mm) Diameter
Grip: 1/8"-11/32"
(3mm-8.5mm)
Flange Diameter: 15/32"
(12mm)
Aluminum Rivet
(Black Polyethylene
Coating)
Aluminum Mandrel
Bumper & Wheel Housing
Volvo
1993-On

UNIT PACKAGE: 15



19514

(10125439, 10201332)

Split-Type Rivet
3/16" Diameter
Grip: 3/64"-15/64"
Flange Diameter: 3/8"
Aluminum Rivet (Black)
Aluminum Mandrel
Door Actuator, Door,
Body & Fender
Moulding and Dash
Panel Insulation
Buick Regal,
Chev. Lumina APV,
K & T Trucks,
Olds Silhouette and
Pontiac Trans Sport
1990-On

UNIT PACKAGE: 25



18912

(22585836,
22641917)

3/16" Diameter
Grip: 1/16" - 17/64"
Flange Diameter: 3/8"
Steel Rivet (Black)
Steel Mandrel (Zinc)
Rear Side Door
Outside Handle Attachment
Cadillac DeVille & Seville,
Chevrolet Cavalier And
Pontiac Sunfire 1994-On

UNIT PACKAGE: 25



17006

(N900-845-01)

Diameter: 5/32"
Grip: 1/4" - 3/8"
Flange Dia. 15/32"
Aluminum Rivet (Black)
Steel Mandrel
Wheel Opening
Moulding Attachment
Jetta, Rabbit & Golf

UNIT PACKAGE: 25



19459

(384432-S)

3/16" Diameter
Grip: 1/16"-1/8"
Flange Diameter: 3/8"
Aluminum Rivet
Steel Mandrel
Outer Moulding
Ford F Series & Villager
And Nissan Quest
1995-On

UNIT PACKAGE: 25



15187

(N804583S)

Black Nylon

Cowl Vent Grille
Retainer Rivet
5/32" (4mm) Diameter
Grip: 15/64" - 13/32"
(6mm-10.5mm)
Flange Size: 11/32" x 5/8"
(8.5mm x 15.5mm)
Ford Aerostar 1986-On

UNIT PACKAGE: 25



16864

(10125439)

Split-Type Rivet
Dia: 3/16"
Grip: 3/64"-11/32"
Flange Dia: 3/8"
Aluminum Rivet (Black)
Aluminum Mandrel
Moulding Attachment
APV Vans 1990-On

UNIT PACKAGE: 25



18329

(3828472)

3/16" Diameter
Grip: 1/4"-3/8"
Flange Dia.: 3/8"
Aluminum Rivet (Black)
Aluminum Mandrel
Attachment Of Front
Fender Lower Rocker
Moulding
Chevrolet Astro & GMC
Safari
Mini-Vans
1995-On

UNIT PACKAGE: 50

Rivets Are Listed In Columns By Diameter Then By Flange Diameter & Lastly By Minimum Grip



17410

(390428-S100)

3/16" Diameter

Grip: 3/8"-1/2"

Flange Diameter: 3/8"

Closed End

Aluminum Rivet (Black)

Aluminum Mandrel

(Black)

Luggage Rack

Ford

UNIT PACKAGE: 25



17121

(GM: 25618730;
Ford: N805592-S100)

Split-Type Rivet

Dia: 3/16"

Grip: 5/64"-15/64"

Flange Dia: 7/16"

Aluminum Rivet (Black)

Aluminum Mandrel

Wheel House Moulding
& General Purpose

UNIT PACKAGE: 25



21046

(90269-05065)

3/16" (5mm) Diameter

Grip: 5/32" - 9/32"

(4mm - 7mm)

Flange Diameter:

1/2" (13mm)

Aluminum Rivet

With Plastic Cap

Steel Mandrel

Bumpers & General Purpose

Lexus

2004 - On

UNIT PACKAGE: 10



19751

(6035122)

3/16" Diameter

Grip: 3/8"-1/2"

Flange Diameter: 3/8"

Steel Rivet (Zinc & Black)

Steel Mandrel (Zinc)

Rear Bumper,

Carpets & Mats

Jeep Cherokee,

XJ & Grand ZJ

1994-On

UNIT PACKAGE: 25



18927

(22569178,
22579423)

3/16" Diameter

Grip: 5/16" - 7/16"

Flange Diameter: 7/16"

Aluminum Rivet

Steel Mandrel (Zinc)

Front & Rear Door

Window Sash Attachment

Buick Skylark, Chevrolet Cavalier,

Olds Achieva & Pontiac Grand Am

1992-On

UNIT PACKAGE: 25



19515

(15704030)

3/16" Diameter

Grip: 3/16"-3/8"

Flange Diameter: 25/64"

Aluminum Rivet (Black)

Steel Mandrel (Zinc & Yellow)

Body Moulding,

Bumper Fascia,

Hood Prop Rod and

Window Hinge

Chev. Beretta, Camaro,

Corsica & Trucks,

Olds Silhouette,

Pontiac Firebird, Grand Am and

Trans Sport

1992-On

UNIT PACKAGE: 25



18244

(GM: 15614774)

Split-Type Rivet

3/16" Diameter

Grip: 3/16"-3/8"

Flange Diameter: 29/64"

Aluminum Rivet (Black)

Aluminum Mandrel

For Camper Style

Mirrors On GM Trucks

UNIT PACKAGE: 10



17641

(9442361, 25609048)

Dia: 3/16"

Grip: 3/64"-13/64"

Flange Dia: 9/16"

Aluminum Rivet (Black)

Steel Mandrel (Zinc)

Used In Place Of Screws

When Attaching New Catalytic

Converter Heat Shield

Buick LeSabre & Roadmaster,

Cadillac Brougham And

Oldsmobile 98 & 88

1986-On

UNIT PACKAGE: 25

Looking For A Rivet
Not In The
Auveco Line?
E-Mail Your New Item
Suggestion To:
mail@auveco.com

Sec. 14

SPECIALTY RIVETS

Rivets Are Listed In Columns By Diameter Then By Flange Diameter & Lastly By Minimum Grip"



18749

(9439559,
21021319)

3/16" Diameter
Grip: 1/16"-1/4"
Flange Diameter: 9/16"
Aluminum Rivet
(Black)
Steel Mandrel
Rocker Panel Cover
GM Saturn 1991-On
UNIT PACKAGE: 50



14127

(388664-S100)

Dia: 3/16"
Grip: 3/8"-1/2"
Flange Dia: 9/16"
Aluminum Rivet (Black)
Aluminum Mandrel
Fascia & Bumper
Ford 1982-On

UNIT PACKAGE: 25



17653

(9433185)

Diameter: 3/16"
Grip: 1/8"-7/32"
Flange Dia: 5/8"
Steel Rivet (Zinc)
Steel Mandrel
Attachment of Bumper
Impact Absorption Panel
Buick Regal,
Chevrolet Lumina,
Olds Cutlass
& Pontiac Grand Prix
1988-On

UNIT PACKAGE: 50



20834

(90269-06013)

3/16" (4.8mm) Diameter
Grip: 1/16" - 1/4"
(1.6mm - 6.35mm)
Flange Dia:
9/16" (14mm)
Aluminum Rivet
With Plastic Cap
Steel Mandrel
Gas Filler Door
Toyota Camry & Lexus IS300
2001 - On

UNIT PACKAGE: 15



20740

(22638717)

Split-Type Rivet
3/16" (4.8mm)
Diameter
Grip: 3/64" - 23/64"
(1mm - 9mm)
Flange Diameter:
5/8" (16mm)
Aluminum Rivet
Aluminum Mandrel
Bumper Fascia & General Purpose
GM 1987 - On

UNIT PACKAGE: 25



19460

(385974-S)

3/16" Diameter
Grip: 3/16"-1/4"
Flange Diameter: 5/8"
Aluminum Rivet
Steel Mandrel
General Purpose
Ford Econoline
& Windstar
1995-On

UNIT PACKAGE: 50



20626

(90269-05054)

3/16" (5mm) Diameter
Grip: 1/8" - 5/16"
(3mm - 8mm)
Flange Diameter: 9/16"
(14mm)
Aluminum Rivet
With Plastic Cap
Steel Mandrel
Windshield Side Moulding
& Gas Filler Cap
Toyota Camry & Sienna
1997 - On

UNIT PACKAGE: 10



20741

(11516807)

Split-Type Rivet
3/16" (4.8mm) Diameter
Grip: 3/64" - 23/64" (1mm-9mm)
Flange Diameter: 5/8" (16mm)
Aluminum Rivet (Black)
Aluminum Mandrel
Bumper Fascia & General Purpose
GM
1990 - On

UNIT PACKAGE: 25



18168

(9433186)

3/16" Diameter
Grip 1/4"-3/8"
Flange Diameter: 5/8"
Steel Rivet (Zinc)
Steel Mandrel
Front & Rear Bumper
GM Saturn 1991-On

UNIT PACKAGE: 50

SPECIALTY RIVETS

Sec. 14

Rivets Are Listed In Columns By Diameter Then By Flange Diameter & Lastly By Minimum Grip



12657
(9439719)

Dia: 3/16"
Grip: 1/4"-3/8"
Flange Dia: 5/8"
Steel Rivet (Black)
Steel Mandrel
Attaches Fascia To
Underside Bumper
GM 1981-On

UNIT PACKAGE: 50



18935
(10160960)

3/16" Diameter
Grip: 1/2" - 25/32"
Flange Diameter: 5/8"
Aluminum Rivet
Steel Mandrel
(Zinc & Yellow)
Liftgate Strut Gate Side
Bracket
Lumina APV, Silhouette
& Trans Sport 1992-On

UNIT PACKAGE: 25



17637
(21093072)

1/4" Diameter
Grip: 1/16"-1/8"
Flange Dia: 1/2"
Steel Rivet (Olive Drab)
Steel Mandrel (Zinc)
Front Fender Support
GM Saturn 1991-On

UNIT PACKAGE: 25




16940

(GM: 2085119,
3533539,
3540161;
Not Supplied By
Chrysler O.E.M.)

3/16" Diameter
Grip: 1/2" - 5/8"
Flange Diameter: 5/8"
Aluminum Rivet & Mandrel
Glass Stop/Roller Rivet
Chrysler
Front Bumper
Fascia Lower Deflector
Cadillac 1993 - 87

UNIT PACKAGE: 25



17977

Not Supplied
By O.E.M.

3/16" Diameter
Grip: 5/8"-3/4"
Flange Diameter: 5/8"
Aluminum Rivet & Mandrel
Glass Stop/Roller Rivet
Chrysler

UNIT PACKAGE: 25



18889
(22643056)

1/4" Diameter
Grip: 1/16" - 5/32"
Flange Diameter: 1/2"
Steel Rivet
Steel Mandrel (Zinc &
Yellow Dichromate)
Door Window Regulator
Buick Skylark, Chev. Cavalier,
Olds Achieva & Aurora, And
Pontiac Grand Am & Sunfire
1995-On

UNIT PACKAGE: 25



17466
(N905150-S)

Diameter: 3/16"
Grip: 1/2"-5/8"
Flange Dia: 5/8"
Aluminum Rivet
Steel Mandrel
Attaches License
Plate Bracket
Ford

UNIT PACKAGE: 25



19111
(N807168-S)

3/16" Diameter
Grip: 11/16"-13/16"
Flange Diameter: 3/4"
Aluminum Rivet
Aluminum Mandrel
Grille & Bumper
Ford Windstar 1995-On

UNIT PACKAGE: 25



20835
(90269-06017)

1/4" (6.3mm)
Diameter
Grip: 1/16"-3/16"
(1.6mm-4.8mm)
Flange Diameter:
1/2" (13mm)
Aluminum Rivet (Black)
Steel Mandrel (Zinc)
General Purpose
Toyota
2000 - On

UNIT PACKAGE: 10

Sec. 14

SPECIALTY RIVETS

Rivets Are Listed In Columns By Diameter Then By Flange Diameter & Lastly By Minimum Grip



18938
(2024778)

1/4" Diameter
Grip: 1/16"-1/4"
Flange Diameter: 1/2"
Steel Rivet (Zinc)
Steel Mandrel (Zinc)
Front Side Door
Window Regulator
Chevrolet Lumina APV,
Olds Silhouette & Pontiac
Trans Sport 1990-On

UNIT PACKAGE: 25



18810
(6033688)

1/4" Diameter
Grip: 7/64"-3/16"
Flange Diameter: 1/2"
Steel Rivet
(Zinc & Yellow)
Steel Mandrel
(Zinc & Yellow)
Glass & Frame Assembly
And Floor Pan
Reinforcement Attachment
Dodge Shadow, Plymouth
Sundance
& Jeep Cherokee
1991-On

UNIT PACKAGE: 25



19457
(N806685-S900)

1/4" Diameter
Grip: 1/4"-3/8"
Flange Diameter: 1/2"
Steel Rivet (Zinc)
Steel Mandrel (Zinc)
Brake Shield
Ford Windstar
1995-On

UNIT PACKAGE: 15



21115
(11609731)

1/4" Diameter
Grip: 1/16" - 19/64"
Flange Diameter: 1/2"
Steel Rivet
Steel Mandrel
Fuel Tank Mounting
GM
1997 - On

UNIT PACKAGE: 25



19396
(N808426-S100)

1/4" Diameter
Grip: 1/8"-1/4"
Flange Diameter: 1/2"
Aluminum Rivet (Black)
Aluminum Mandrel
Bumper Fascia
Ford Taurus & Sable
1996-On

UNIT PACKAGE: 25



18171
(10204265)

1/4" Diameter
Grip: 1/2"-5/8"
Flange Diameter: 1/2"
Aluminum Rivet
Aluminum Mandrel
Trunk Lock Cylinder
Chevrolet Camaro
1994-On

UNIT PACKAGE: 15



16939
(10157547)

1/4" Diameter
Grip: 5/64" - 3/8"
Flange Diameter: 1/2"
Aluminum Rivet,
Steel Mandrel
(Yellow Dichromate Coated)
Front Door Window Regulator
GM APV Vans 1990-On

UNIT PACKAGE: 10



12654
(372820-S36, S40)

Dia: 1/4"
Grip: 1/8"-1/4"
Flange Dia: 1/2"
Steel Rivet
(Zinc & Gold Chrome)
Steel Mandrel
Front Bumper Assembly
Ford 1979-On

UNIT PACKAGE: 25



18170
(10204266)

1/4" Diameter
Grip: 3/4"-1"
Flange Diameter: 1/2"
Aluminum Rivet
Aluminum Mandrel
Trunk Lock Cylinder
Pontiac Firebird
1994-On

UNIT PACKAGE: 10

Rivets Are Listed In Columns By Diameter Then By Flange Diameter & Lastly By Minimum Grip



19516
(N804851-S100)

Split-Type Rivet
1/4" Diameter
Grip: 3/64"-1/4"
Flange Diameter: 9/16"
Aluminum Rivet (Black)
Aluminum Mandrel
Front Bumper
Ford Taurus
1996-On

UNIT PACKAGE: 15



20170
(11518091)

Split-Type Rivet
Diameter: 1/4"
Grip: 3/16"-3/8"
Flange Diameter: 9/16"
Aluminum Rivet
Aluminum Mandrel
Front & Rear
Bumper Fascia
Saturn
2000-On

UNIT PACKAGE: 15



19395
(15022087)

Diameter: 1/4"
Grip: 3/64"-5/64"
Flange Diameter:
19/32"
Shoulder Diameter:
13/32"
Steel Rivet (Zinc)
Steel Mandrel (Zinc)
Headlight Retainer
GM Jimmy, Blazer
& Bravada
1998-On

UNIT PACKAGE: 25



17639
(Ford: N806830-S100;
Chrys: 6035201)

Split-Type Rivet
Diameter: 1/4"
Grip: 3/16"-3/8"
Flange Dia: 11/16"
Aluminum Rivet
(Black)
Aluminum Mandrel
Attachment of
Bumper Cover
To Bumper &
Front License
Plate Bracket To
Bumper Cover
Ford 1992-On
Air Dam To Fascia
Chrysler 1993-On

UNIT PACKAGE: 15

19263

Same As 17639
Except For Packing


UNIT PACKAGE: 25



18331
(N805995-S100,
W701566-S417)

Diameter: 1/4"
Grip: 1/32"-7/32"
Flange Diameter: 3/4"
Aluminum Rivet (Black)
Aluminum Mandrel (Yellow)
Attachment Of Power Door Lock
Actuator
Mustang & Lincoln
Continental 1994-On

UNIT PACKAGE: 10



17640
(3540146,
3548011)

1/4" Diameter
Grip: .070"-.083"
Flange Diameter: 3/4"
Steel Rivet
Steel Mandrel (Zinc & Yellow
Dichromate)
Front Door Window
Channel Retainer Rivet
Buick Riviera, Cadillac DeVille &
Eldorado And Olds Toronado
1993-On

UNIT PACKAGE: 15



12652
(388442-S100)

Dia: 1/4"
Grip: 1/8"-1/4"
Flange Dia: 3/4"
Steel Rivet (Black)
Steel Mandrel
Bumper Assembly
Escort & Lynx 1981-On

UNIT PACKAGE: 25

HIGH SPEED JOBBER LENGTH DRILLS



**Straight Shank - Black Finish
135° Split Point**

Auveco Part No.	Unit Pkg.	Size	Dec. Equiv.	Flute Length	Overall Length
13039	5	3/32"	.0938	1-1/4"	2-1/4"
13040	5	7/64"	.1094	1-1/2"	2-5/8"
13041	5	1/8"	.1250	1-5/8"	2-3/4"
13095	5	30	.1285	1-5/8"	2-3/4"
13042	5	9/64"	.1406	1-3/4"	2-7/8"
13043	5	5/32"	.1562	2"	3-1/8"
13044	5	11/64"	.1719	2-1/8"	3-1/4"
13080	5	15	.1800	2-3/16"	3-3/8"
13045	5	3/16"	.1875	2-5/16"	3-1/2"
13077	5	12	.1890	2-5/16"	3-1/2"
13072	5	7	.2010	2-7/16"	3-5/8"
13095	5	30	.1285	1-5/8"	2-3/4"
13046	5	13/64"	.2031	2-7/16"	3-5/8"
13047	5	7/32"	.2188	2-1/2"	3-3/4"
13048	5	15/64"	.2344	2-5/8"	3-7/8"
13049	5	1/4"	.2500	2-3/4"	4"
13050	5	17/64"	.2656	2-7/8"	4-1/8"
13051	5	9/32"	.2812	2-15/16"	4-1/4"
13052	5	19/64"	.2969	3-1/16"	4-3/8"
13053	5	5/16"	.3125	3-3/16"	4-1/2"
13054	5	21/64"	.3281	3-5/16"	4-5/8"
13055	5	11/32"	.3438	3-7/16"	4-3/4"
13056	5	23/64"	.3594	3-1/2"	4-7/8"
13057	5	3/8"	.3750	3-5/8"	5"
13058	5	25/64"	.3906	3-3/4"	5-1/8"
13059	5	13/32"	.4062	3-7/8"	5-1/4"
13060	5	27/64"	.4219	3-15/16"	5-3/8"
13061	5	7/16"	.4375	4-1/16"	5-1/2"
13062	5	29/64"	.4531	4-3/16"	5-5/8"
13063	5	15/32"	.4688	4-5/16"	5-3/4"
13064	5	31/64"	.4844	4-3/8"	5-7/8"
13065	3	1/2"	.5000	4-1/2"	6"



**Masonry Drills
Chrome Finish - Carbide Tipped
M2 High Speed Steel - ASA Standard**

Auveco Part No.	Unit Pkg.	Size	Shank Size	Overall Length
13106	3	3/16"	11/64"	4"
13108	3	1/4"	7/32"	6"




COBALT STEEL SPOT WELD DRILLS

Auveco Part No.	Unit Pkg.	Size	Flute Length	Overall Length
20479	3	8mm (5/16")	27mm (1-1/16")	58mm (2-1/4")
20480	3	10mm (3/8")	27mm (1-1/16")	58mm (2-1/4")

HIGH SPEED JOBBER LENGTH DRILL SETS

High Speed Jobber Length Drill Set

Metal Drill Indexes



13136

Jobbers Length
Straight Shank
135° Split Point
Blue/Bright Finish
Sizes 1/16" thru
1/2" by 64th
29 Pieces

UNIT PACKAGE: 1 Set



Screw Machine Length Drills Blue Finish - Straight Shank 135° Split Point

Auveco Part No.	Unit Pkg.	Size	Dec. Equiv.	Flute Length	Overall Length
13120	5	1/16"	.0625	5/8"	1-5/8"
13121	5	5/64"	.0781	11/16"	1-11/16"
13124**	5	1/8"	.1250	7/8"	1-7/8"
13127	5	11/64"	.1719	1-1/16"	2-1/8"
13128	5	3/16"	.1875	1-1/8"	2-3/16"
13132	5	1/4"	.2500	1-3/8"	2-1/2"
13133	5	5/16"	.3125	1-5/8"	2-13/16"
13134	2	3/8"	.3750	1-13/16"	3-1/8"

** - for 1/8" Pop Rivets



Double-End Drill Bit
1/8" (.125) Dia., 2" Length
135° Split Point

12676

Black Finish

UNIT PKG: 5