

TAPPING SCREWS

Listed According To Size

Sec. 1



Phillips Oval Head Tapping Screws

| Size | Zinc Part No. | Chrome Part No. | Bk. Oxide Part No. | Unit Pkg. | Size | Zinc Part No. | Chrome Part No. | Bk. Oxide Part No. | Unit Pkg. |
|----------------------|---------------|-----------------|--------------------|-----------|-------------|---------------|-----------------|--------------------|-----------|
| 4 x 3/8" | 3062 | 3067 | 12893 | 100 | 10 x 1" | 6 Hd 2729 | 1804 | | 100 |
| 4 x 1/2" | 3063 | 3068 | 12894 | 100 | 10 x 1" | 8 Hd 2578 | 2730 | 11089 | 100 |
| 4 x 5/8" | | 5604 | 12895 | 100 | 10 x 1" | | 2582 | 2731 | 11088 |
| 4 x 3/4" | | 3069 | 12896 | 100 | 10 x 1-1/8" | | | 1807 | 100 |
| 4 x 1" | | 3070 | 12897 | 100 | 10 x 1-1/4" | 6 Hd | | 2733 | 100 |
| | | | | | 10 x 1-1/4" | 8 Hd | 2661 | 2734 | 11091 |
| 6 x 3/8" | 4 Hd | | 2802 | 100 | 10 x 1-1/4" | | 2583 | 2735 | 11090 |
| 6 x 1/2" | | 2571 | 2698 | 12795 | 100 | 10 x 1-1/2" | 6 Hd | | 2046 |
| 6 x 5/8" | | 2699 | 1793 | 100 | 10 x 1-1/2" | 8 Hd | 2662 | 20374 | 11093 |
| 6 x 3/4" | | 2700 | 1794 | 12796 | 100 | 10 x 1-1/2" | | 2585 | 11092 |
| 6 x 7/8" | | 2572 | | 100 | 10 x 1-3/4" | 6 Hd | | 2047 | 100 |
| 6 x 1" | | 2702 | 1796 | 12797 | 100 | 10 x 1-3/4" | 8 Hd | 2663 | 100 |
| 6 x 1-1/4" | | 2704 | 1797 | 12798 | 100 | 10 x 1-3/4" | | 2586 | 100 |
| | | | | | 10 x 2" | 8 Hd | 2665 | | 100 |
| 8 x 3/8" | 6 Hd | 2705 | 2024 | 100 | 10 x 2" | | 2666 | | 100 |
| 8 x 3/8" | | 3484 | | 100 | 10 x 2-1/2" | | 3207 | | 100 |
| 8 x 1/2" | 6 Hd | 2706 | 2027 | 10162 | 100 | | | | |
| 8 x 1/2" | | 2358 | 2707 | 10163 | 100 | 12 x 1/2" | | 8044 | 100 |
| 8 x 5/8" | 6 Hd | 2708 | 1421 | 100 | 12 x 3/4" | 10 Hd | 8049 | | 100 |
| 8 x 5/8" | | 2574 | 2709 | 100 | 12 x 3/4" | | 8050 | | 100 |
| 8 x 3/4" | 6 Hd | 1798 | 1799 | 10164 | 100 | 12 x 1" | 10 Hd | 8055 | 100 |
| 8 x 3/4" | | 2359 | 2710 | 10165 | 100 | 12 x 1" | | 8056 | 100 |
| 8 x 3/4" | 10 Hd | | 20373 | 100 | 12 x 1-1/4" | 8 Hd | 8057 | | 100 |
| 8 x 7/8" | 6 Hd | 1800 | 2711 | 100 | 12 x 1-1/4" | | 8059 | | 100 |
| 8 x 7/8" | | 2575 | 2712 | 100 | 12 x 1-1/2" | 10 Hd | 8061 | | 100 |
| 8 x 1" | 6 Hd | 1801 | 1483 | 10166 | 100 | 12 x 1-1/2" | | 8062 | 100 |
| 8 x 1" | | 2360 | 2713 | 10167 | 100 | 12 x 2" | | 8068 | 100 |
| 8 x 1-1/8" | 6 Hd | 2714 | 1802 | 100 | | | | | |
| 8 x 1-1/8" | | | 2715 | 100 | 14 x 1" | | 8083 | | 100 |
| 8 x 1-1/4" | 6 Hd | 1803 | 1423 | 10168 | 100 | | | | |
| 8 x 1-1/4" | | 2361 | 2716 | 10169 | 100 | | | | |
| 8 x 1-1/2" | 6 Hd | 2717 | 1932 | 10170 | 100 | | | | |
| 8 x 1-1/2" | 6 Hd | | 1424 | 100 | | | | | |
| (Special Long Shank) | | | | | | | | | |
| 8 x 1-1/2" | | 2362 | 2718 | 10171 | 100 | | | | |
| 8 x 1-3/4" | 6 Hd | | 1933 | 100 | | | | | |
| 8 x 1-3/4" | | 2631 | | 100 | | | | | |
| 8 x 2" | 6 Hd | 2632 | | 100 | | | | | |
| 8 x 2" | | 2633 | | 100 | | | | | |
| 8 x 2-1/4" | 6 Hd | 3203 | | 100 | | | | | |
| 8 x 2-1/2" | 6 Hd | 3204 | | 100 | | | | | |
| 8 x 2-1/2" | | 3205 | | 100 | | | | | |
| | | | | | | | | | |
| 10 x 1/2" | 6 Hd | 2720 | 2656 | 100 | | | | | |
| 10 x 1/2" | 8 Hd | | 2657 | 11085 | 100 | | | | |
| 10 x 1/2" | | 2579 | 2722 | 11084 | 100 | | | | |
| 10 x 5/8" | 6 Hd | | 2658 | 100 | | | | | |
| 10 x 5/8" | 8 Hd | | 2724 | 100 | | | | | |
| 10 x 5/8" | | 2580 | 2725 | 100 | | | | | |
| 10 x 3/4" | 6 Hd | 2726 | 2659 | 100 | | | | | |
| 10 x 3/4" | 8 Hd | 2727 | 1717 | 11087 | 100 | | | | |
| 10 x 3/4" | | 2581 | 2728 | 11086 | 100 | | | | |

For assortments of Phillips Oval Head Tapping Screws, refer to Fix-Kits 6003 and 6501 in the green pages.



Phillips Oval Head Tek[®] Tapping Screws

Phosphate

| Auveco Part No. | Size | Unit Pkg. |
|-----------------|------------|-----------|
| 16735 | 8 x 3/4" | 6 Hd 100 |
| 16736 | 8 x 1" | 6 Hd 50 |
| 16737 | 8 x 1-1/4" | 6 Hd 50 |

TAPPING SCREWS

Listed According To Size



Pop On Polypropylene Screw Covers & Bases

They're simple to use:

1. Place washer over pilot or starting hole for screw, nail or rivet.
2. Install fastener.
3. Place Snap Cap over washer at slight angle.
4. Simply push Snap Cap down firmly.

Covers



| Auveco Part No. | Screw Size | Color | O.D. | Unit Pkg. |
|-----------------|------------|-------|------|-----------|
| 13831 | #4 | Black | 1/2" | 50 |
| 13832 | #4 | White | 1/2" | 50 |
| 13833 | #6 | Black | 1/2" | 50 |
| 13834 | #6 | White | 1/2" | 50 |
| 13835 | #8 | Black | 5/8" | 50 |
| 13836 | #8 | White | 5/8" | 50 |
| 13837 | #10 | Black | 5/8" | 50 |
| 13838 | #10 | White | 5/8" | 50 |

Bases



| Auveco Part No. | Screw Size | Use with Cover | Unit Pkg. |
|-----------------|------------|----------------|-----------|
| 13839 | #4 | 13831 & 13832 | 50 |
| 13840 | #6 | 13833 & 13834 | 50 |
| 13841 | #8 | 13835 & 13836 | 50 |
| 13842 | #10 | 13837 & 13838 | 50 |



Phillips Flat Head Tapping Screws

| Size | Zinc Part No. | Unit Pkg. | Bk. Oxide Part No. | Unit Pkg. |
|---------------------|---------------|-----------|--------------------|-----------|
| 4 x 1/4" | 5646 | 100 | | |
| 4 x 3/8" | 5647 | 100 | 12899 | 100 |
| 4 x 1/2" | 5648 | 100 | 12900 | 100 |
| 4 x 5/8" | 5649 | 100 | | |
| 4 x 3/4" | 5650 | 100 | | |
| 6 x 5/16" ...4 Hd. | 2736 | 100 | | |
| 6 x 1/2" ...4 Hd. | 5651 | 100 | | |
| 6 x 1/2" | 1946 | 100 | 12801 | 100 |
| 6 x 5/8" | 5653 | 100 | | |
| 6 x 3/4" ...4 Hd. | *2803 | 100 | | |
| 6 x 3/4" | | | 12802 | 100 |
| 6 x 1" | | | 12803 | 100 |
| * Chrome | | | | |
| 8 x 3/8" ...6 Hd. | 5654 | 100 | | |
| 8 x 7/16" ...6 Hd. | 1479 | 100 | | |
| 8 x 1/2" ...5 Hd. | 1711 | 100 | | |
| 8 x 1/2" ...6 Hd. | 2804 | 100 | 10173 | 100 |
| 8 x 1/2" | 5655 | 100 | 10172 | 100 |
| 8 x 5/8" ...6 Hd. | 5656 | 100 | | |
| 8 x 3/4" ...6 Hd. | 1712 | 100 | 10174 | 100 |
| 8 x 3/4" | 2807 | 100 | 10175 | 100 |
| 8 x 1" ...6 Hd. | 5660 | 100 | 10176 | 100 |
| 8 x 1" | 5661 | 100 | 10177 | 100 |
| 8 x 1-1/4" ...6 Hd. | | | 10178 | 100 |
| 8 x 1-1/4" | | | 10179 | 100 |
| 8 x 1-1/2" ...6 Hd. | | | 12805 | 50 |
| 8 x 1-1/2" | | | 12806 | 50 |
| 10 x 1/2" | | | 12807 | 100 |
| 10 x 3/4" | 2810 | 100 | 12809 | 100 |
| 10 x 1" | 5672 | 100 | 12811 | 50 |

Slotted Oval Head Tapping Screws



Bright Zinc Chromate

| Auveco Part No. | Size | Unit Pkg. | Auveco Part No. | Size | Unit Pkg. |
|-----------------|-----------|-----------|-----------------|-------------|-----------|
| 1432 | 6 x 1/2" | 100 | 5616 | 12 x 5/8" | 100 |
| 1144 | 6 x 5/8" | 100 | 3483 | 12 x 7/8" | 100 |
| 1148 | 8 x 5/8" | 100 | 2457 | 12 x 1" | 100 |
| 1149 | 8 x 3/4" | 100 | 5617 | 14 x 5/8" | 100 |
| 1137 | 8 x 1" | 100 | 5618 | 14 x 2-1/4" | 100 |
| 1091 | 10 x 3/4" | 100 | | | |

TAPPING SCREWS



Phillips Pan Head Tapping Screws

| Size | Zinc Part No. | Unit Pkg. | Bk. Oxide Part No. | Unit Pkg. |
|-------------|---------------|-----------|--------------------|-----------|
| 4 x 1/4" | 3071 | 100 | 12902 | 100 |
| 4 x 3/8" | 3072 | 100 | 12903 | 100 |
| 4 x 1/2" | 3073 | 100 | 12904 | 100 |
| 4 x 5/8" | 5619 | 100 | | |
| 4 x 3/4" | 3074 | 100 | 12905 | 100 |
| 4 x 1" | 3075 | 100 | | |
| 6 x 1/4" | 1935 | 100 | | |
| 6 x 3/8" | 1936 | 100 | 16889 | 100 |
| 6 x 1/2" | 1937 | 100 | 11917 | 100 |
| 6 x 5/8" | 5621 | 100 | | |
| 6 x 3/4" | 2364 | 100 | 11918 | 100 |
| 6 x 1" | 3076 | 100 | 11919 | 100 |
| 6 x 1-1/8" | 5623 | 100 | | |
| 6 x 1-1/4" | 3077 | 100 | 11920 | 100 |
| 6 x 1-1/2" | 3078 | 100 | | |
| 8 x 3/8" | 1939 | 100 | | |
| 8 x 1/2" | 1940 | 100 | 10180 | 100 |
| 8 x 5/8" | 5625 | 100 | | |
| 8 x 3/4" | 2365 | 100 | 10181 | 100 |
| 8 x 7/8" | 5626 | 100 | | |
| 8 x 1" | 3079 | 100 | 10182 | 100 |
| 8 x 1-1/4" | 3080 | 100 | 10183 | 100 |
| 8 x 1-1/2" | 3081 | 100 | 12799 | 50 |
| 8 x 1-3/4" | 2088* | 100 | | |
| * Chrome | | | | |
| 10 x 3/8" | 1942 | 100 | | |
| 10 x 1/2" | 1943 | 100 | 11921 | 100 |
| 10 x 5/8" | 2808 | 100 | | |
| 10 x 3/4" | 2366 | 100 | 11922 | 100 |
| 10 x 7/8" | 5629 | 100 | | |
| 10 x 1" | 3082 | 100 | 11923 | 50 |
| 10 x 1-1/4" | 3083 | 100 | 11924 | 50 |
| 10 x 1-1/2" | 3084 | 100 | 12800 | 50 |
| 12 x 1/2" | 3085 | 100 | | |
| 12 x 5/8" | 5630 | 100 | | |
| 12 x 3/4" | 2367 | 100 | | |
| 12 x 1" | 3086 | 100 | | |
| 12 x 1-1/4" | 3087 | 100 | | |
| 12 x 1-1/2" | 3088 | 100 | | |
| 14 x 1/2" | 3089 | 100 | | |
| 14 x 5/8" | 5632 | 100 | | |
| 14 x 3/4" | 3090 | 100 | | |
| 14 x 7/8" | 5633 | 100 | | |
| 14 x 1" | 3091 | 100 | | |
| 14 x 1-1/4" | 3092 | 100 | | |
| 14 x 1-1/2" | 3093 | 100 | | |
| 14 x 1-3/4" | 3211 | 100 | | |
| 14 x 2" | 5634 | 100 | | |
| 14 x 2-1/4" | 2371 | 50 | | |

For assortments of Phillips Pan Head Tapping Screws refer to Fix Kits 6004 and 6038 in the green pages.



Slotted Pan Head Tapping Screws Bright Zinc Chromate

| Auveco Part No. | Size | Unit Pkg. |
|-----------------|-------------|-----------|
| 3020 | 4 x 1/4" | 100 |
| 3022 | 4 x 1/2" | 100 |
| 5636 | 4 x 7/8" | 100 |
| 3024 | 4 x 1" | 100 |
| 1728 | 6 x 1/4" | 100 |
| 1263 | 6 x 3/8" | 100 |
| 1452 | 6 x 1/2" | 100 |
| 1453 | 6 x 5/8" | 100 |
| 1454 | 6 x 3/4" | 100 |
| 1455 | 6 x 1" | 100 |
| 5639 | 6 x 1-3/8" | 100 |
| 1456 | 8 x 3/8" | 100 |
| 1146 | 8 x 1/2" | 100 |
| 1092 | 8 x 5/8" | 100 |
| 1147 | 8 x 3/4" | 100 |
| 1457 | 8 x 1" | 100 |
| 3028 | 8 x 1-1/2" | 100 |
| 1458 | 10 x 1/2" | 100 |
| 1787 | 10 x 5/8" | 100 |
| 1265 | 10 x 3/4" | 100 |
| 1459 | 10 x 1" | 100 |
| 1460 | 10 x 1-1/2" | 100 |
| 1266 | 10 x 1-3/4" | 100 |
| 1343 | 12 x 1/2" | 100 |
| 5642 | 12 x 5/8" | 100 |
| 1344 | 12 x 3/4" | 100 |
| 1346 | 12 x 1" | 100 |
| 3032 | 12 x 1-1/2" | 100 |
| 1347 | 14 x 1/2" | 100 |
| 2039 | 14 x 5/8" | 100 |
| 1381 | 14 x 3/4" | 100 |
| 1382 | 14 x 1" | 100 |
| 3036 | 14 x 1-1/2" | 100 |
| 3037 | 14 x 1-3/4" | 100 |
| 5645 | 14 x 2-1/4" | 100 |

For assortments of Slotted Pan Head Screws refer to Fix Kit 6001 in the green pages.

TAPPING SCREWS

Listed According To Size



Phillips Oval Head
Sems® Countersunk Washer
Tapping Screws

| Size | Chrome Part No. | Unit Pkg. | Bk. Phos Part No. | Unit Pkg. |
|------------------------------|-----------------|-----------|-------------------|-----------|
| 6 x 5/8" | 3537 | 100 | 11784 | 100 |
| 6 x 3/4" | 3538 | 100 | 11785 | 100 |
| 6 x 1" | 3539 | 100 | 11786 | 100 |
| 8 x 1/2" 6 Hd | | | *16930 | 100 |
| 8 x 5/8" 6 Hd | 2771 | 100 | 11787 | 100 |
| 8 x 3/4" 6 Hd | 2751 | 100 | 11788 | 100 |
| 8 x 1" 6 Hd | 2772 | 100 | 11789 | 100 |
| 8 x 1-1/4" 6 Hd | 2773 | 100 | 11790 | 100 |
| 8 x 1-1/2" 6 Hd | 14970 | 50 | | |
| 10 x 5/8" 8 Hd | 3465 | 100 | 14972 | 100 |
| 10 x 3/4" 8 Hd | 3466 | 100 | 11791 | 50 |
| 10 x 1" 8 Hd | 3467 | 100 | 11792 | 50 |
| 10 x 1-1/4" 8 Hd | 3468 | 100 | 14973 | 50 |

* Black Oxide Finish

For an assortment of Chrome Plated Phillips Oval Head Sems® Countersunk Washer Tapping Screws see Fix-Kit No.6049 in the green pages.



Phillips Oval Head
Sems® Flush Washer
Tapping Screws

| Size | Chrome Part No. | Bk Oxide Part No. | Unit Pkg. |
|-----------------------------|-----------------|-------------------|-----------|
| 8 x 1/2" 6 Hd. | | 12956 | 100 |
| 8 x 5/8" 6 Hd. | 2774 | 10652 | 100 |
| 8 x 11/16" 6 Hd. | | 10653 | 100 |
| 8 x 7/8" 6 Hd. | 2775 | | 100 |
| 8 x 1" 6 Hd. | | 12957 | 100 |
| 8 x 1-1/4" 6 Hd. | | 10654 | 100 |
| 10 x 1" 8 Hd. | | 17657 | 50 |



Countersunk



Flush

Phillips Oval Head Sems®
Tek's® Finishing Screws
With No. 6 Head &
No. 2 Drill Point

| Size | Washer Type | Chrome Part No. | Phos. Part No. | Unit Pkg. |
|------------------|-------------|-----------------|----------------|-----------|
| 8 x 5/8" | Flush | 11448 | 11453 | 100 |
| 8 x 5/8" | Ctrsnk | 11449 | 11454 | 100 |
| 8 x 3/4" | Flush | | 20513 | 100 |
| 8 x 3/4" | Ctrsnk | 11450 | 11455 | 100 |
| 8 x 1" | Ctrsnk | 11451 | 11456 | 50 |
| 8 x 1-1/4" | Ctrsnk | 11452 | 11457 | 50 |
| 8 x 1-1/4" | Flush | | 18460 | 50 |



Phillips Flat Top Washer Head
Tapping Screws
Black E-Coat or Zinc

| Size | Washer Head O.D. | Zinc Part No. | Black E-Coat Part No. | Unit Pkg. |
|-------------------|------------------|---------------|-----------------------|-----------|
| 6 x 1/2" | 3/8" | | 12950 | 100 |
| 6 x 3/4" | 3/8" | | *12951 | 100 |
| 6 x 1" | 3/8" | | *12952 | 100 |
| 8 x 1/2" | 13/32" | 14859 | 12213 | 100 |
| 8 x 5/8" | 13/32" | 14860 | 12214 | 100 |
| 8 x 3/4" | 13/32" | 14861 | 12215 | 100 |
| 8 x 1" | 13/32" | 14862 | 12216 | 100 |
| 8 x 1-1/4" | 13/32" | | 12217 | 50 |
| 8 x 1-1/2" | 13/32" | | 12218 | 50 |
| 8 x 2" | 13/32" | | 19798 | 50 |
| 10 x 3/4" | 15/32" | | 12953 | 50 |
| 10 x 1" | 15/32" | | 12954 | 50 |
| 10 x 1-1/4" | 15/32" | | 12955 | 50 |

*Black Oxide

Black E-Coat Is Excellent For Interior/Exterior Use.
168 Hour Salt Spray



Phillips Pan Head Sems®
Tapping Screws
Black Phosphate

| Auveco Part No. | Size | Washer O.D. | Unit Pkg. |
|-----------------|----------|-------------|-----------|
| 12818 | 8 x 1/2" | 1/2" | 50 |
| 12820 | 8 x 3/4" | 1/2" | 50 |
| 12821 | 8 x 1" | 1/2" | 50 |

TAPPING SCREWS

Listed According To Size

Sec. 1



Torx® Oval Head Tapping Screws

Zinc Plated

| Auveco Part No. | Size | Drive Size | Unit Pkg. |
|-----------------|--------|------------|-----------|
| 12016 | 8 x 1" | T-20 | 50 |



Flat Head Torx® Drive Floor Screws

Thread Cutting Screws - Type F
Phosphate & Oil Finish

| Auveco Part No. | Size | Drive Size | Unit Pkg. |
|-----------------|-----------------|------------|-----------|
| 12098 | 1/4-20 x 2" | T-30 | 50 |
| 12099 | 1/4-20 x 2-1/4" | T-30 | 50 |
| 12100 | 1/4-20 x 2-1/2" | T-30 | 50 |

Please Order
In Unit Package Quantity
Not Pieces



Metric Torx® Head Tapping Screws

300 Series Stainless Steel

| Auveco Part No. | Size | Head Style | Finish | Unit Pkg. |
|------------------------|------------|------------|----------|-----------|
| 14572 | 4.2 x 13mm | M8 Pan | Chrome | 50 |
| 14052 | 4.2 x 16mm | M8 Pan | Black Ox | 50 |
| 11937 | 4.2 x 20mm | M7 Oval | Chrome | 50 |
| 11938 | 4.2 x 20mm | M7 Oval | Black Ox | 50 |
| 14950 | 4.2 x 20mm | M8 Oval | Chrome | 50 |
| 11944 | 4.2 x 20mm | M8 Pan | Black Ox | 50 |
| 14046 | 4.2 x 25mm | M8 Pan | Black Ox | 50 |
| 14051 | 4.2 x 20mm | M8 Pan | Black Ox | 50 |
| 12mm Washer O.D. Sems® | | | | |
| 14049 | 4.2 x 25mm | M8 Pan | Chrome | 50 |
| 14053 | 4.2 x 25mm | M7 Oval | Black Ox | 50 |
| 14569 | 4.2 x 25mm | M7 Oval | Chrome | 50 |
| 11939 | 4.2 x 30mm | M7 Oval | Chrome | 50 |
| 11940 | 4.2 x 30mm | M7 Oval | Black Ox | 50 |
| 14050 | 4.2 x 30mm | M8 Pan | Black Ox | 50 |
| 11945 | 4.2 x 35mm | M8 Pan | Chrome | 25 |
| 14047 | 4.2 x 35mm | M7 Oval | Black Ox | 50 |
| 14952* | 4.2 x 55mm | M8 Pan | Black Ox | 50 |

* Not Fully Threaded



Torx® Insert Bits For Torx® Screws 1" Shank

| Auveco Part No. | Bit Size | For Screw Size | Unit Pkg. |
|-----------------|----------|-------------------|-----------|
| 12472 | T-10 | No. 4 | 1 |
| 11949 | T-15 | No. 6, 8, M4.2 | 1 |
| 11950 | T-20 | No. 8, M4.2 | 1 |
| 12103 | T-25 | No. 10 | 1 |
| 14913 | T-27 | No. 12, 1/4" | 1 |
| 12104 | T-30 | 1/4" | 1 |
| 12105 | T-40 | 5/16" | 1 |
| 14914* | T-45 | 3/8", 7/16" | 1 |
| 14915* | T-50 | 7/16", 1/2" | 1 |
| 14916* | T-55 | 1/2", 9/16", 5/8" | 1 |

*1-1/4" Shank

Torx® Tools

Torx® Short Arm Key, Power Drive Bits and Hand Drivers are available for installing Torx® Screws. Refer to the "Tools" listing in the Alphabetical Index.

TAPPING SCREWS

Listed According To Size



Slotted Pan Head
Thread Cutting
Screws - Type "F"

Bright Zinc Chromate

| Auveco Part No. | Size | Unit Pkg. |
|-----------------|---------------|-----------|
| 5290 | 8-32 x 1/4" | 100 |
| 5291 | 8-32 x 3/8" | 100 |
| 5292 | 8-32 x 1/2" | 100 |
| 5294 | 8-32 x 3/4" | 100 |
| 5298 | 10-24 x 3/8" | 100 |
| 5301 | 10-24 x 3/4" | 100 |
| 5307 | 1/4-20 x 5/8" | 100 |



Acorn Indented Hex Washer Head
Tapping Screws
With Phillips Recess

| Auveco Part No. | Size | Hex Size | Washer O.D. | Finish | Unit Pkg. |
|-----------------|----------|----------|-------------|-----------|-----------|
| 13736 | 6 x 1/2" | 1/4" | 5/16" | Blk Phos. | 100 |
| 13727 | 6 x 3/4" | 1/4" | 5/16" | Zinc | 100 |
| 13728 | 6 x 1" | 1/4" | 5/16" | Zinc | 100 |



Hexagon Washer Head
Thread Cutting Screws - Type "F"

Bright Zinc Chromate

| Auveco Part No. | Size | Hex Size | Unit Pkg. |
|-----------------|------------------|----------|-----------|
| 5759 | 6-32 x 3/8" | 1/4" | 100 |
| 5764 | 6-32 x 1" | 1/4" | 100 |
| 5766 | 8-32 x 3/8" | 1/4" | 100 |
| 5767 | 8-32 x 1/2" | 1/4" | 100 |
| 5768 | 8-32 x 5/8" | 1/4" | 100 |
| 5769 | 8-32 x 3/4" | 1/4" | 100 |
| 5773 | 10-24 x 3/8" | 5/16" | 100 |
| 5774 | 10-24 x 1/2" | 5/16" | 100 |
| 5775 | 10-24 x 5/8" | 5/16" | 100 |
| 5776 | 10-24 x 3/4" | 5/16" | 100 |
| 5778 | 10-24 x 1" | 5/16" | 100 |
| 8437 | 12-24 x 1/2" | 5/16" | 100 |
| 8438 | 12-24 x 3/4" | 5/16" | 100 |
| 8439 | 12-24 x 1" | 5/16" | 100 |
| 5781 | 1/4-20 x 3/8" | 3/8" | 100 |
| 5782 | 1/4-20 x 1/2" | 3/8" | 100 |
| 5783 | 1/4-20 x 5/8" | 3/8" | 100 |
| 5784 | 1/4-20 x 3/4" | 3/8" | 100 |
| 5786 | 1/4-20 x 1" | 3/8" | 100 |
| 5787 | 1/4-20 x 1-1/4" | 3/8" | 100 |
| 15354 | 1/4-20 x 1-1/2" | 3/8" | 50 |
| 8441 | 5/16-18 x 1/2" | 1/2" | 100 |
| 8442 | 5/16-18 x 3/4" | 1/2" | 100 |
| 8443 | 5/16-18 x 1" | 1/2" | 100 |
| 8444 | 5/16-18 x 1-1/4" | 1/2" | 100 |
| 15355 | 5/16-18 x 1-1/2" | 1/2" | 50 |
| 15356 | 5/16-18 x 1-3/4" | 1/2" | 50 |
| 11294 | 3/8-16 x 3/4" | 9/16" | 50 |
| 11295 | 3/8-16 x 1" | 9/16" | 50 |
| 11296 | 3/8-16 x 1-1/4" | 9/16" | 25 |
| 11297 | 3/8-16 x 1-1/2" | 9/16" | 25 |
| 15357 | 3/8-16 x 1-3/4" | 9/16" | 25 |
| 15358 | 3/8-16 x 2" | 9/16" | 25 |

TRI-LOBULAR "TT" SCREWS



Thread Cutting • Grade 5 • Zinc Plated

| Auveco Part No. | Size | Unit Pkg. |
|-----------------|------|-----------|
|-----------------|------|-----------|

Phillips Pan Head

| | | |
|-------|-------------|-----|
| 16491 | 8-32 x 3/4" | 100 |
| 16492 | 8-32 x 1" | 100 |

TAPPING SCREWS

Listed According To Size



Teks® Self-Drilling Self-Tapping Screws

| Size | Hex Size | Zinc Part No. | Unit Pkg. | Bk. Oxide Part No. | Unit Pkg. |
|--------------------------------------|----------|---------------|-----------|--------------------|-----------|
| <u>Phillips Pan Head</u> | | | | | |
| #2 Teks® Point | | | | | |
| 8 x 7/16" | | 9604 | 100 | | |
| 8 x 1/2" | | 9605 | 100 | 16033 | 100 |
| 8 x 3/4" | | 9606 | 100 | 16034 | 100 |
| 8 x 1" | | 11904 | 100 | 16035 | 50 |
| 10 x 1/2" | | 9607 | 100 | 16036 | 50 |
| 10 x 3/4" | | 9608 | 100 | 16037 | 50 |
| 10 x 1" | | 9609 | 100 | 16038 | 50 |
| 12 x 1" | | 11905 | 50 | | |
| <u>Hex Washer Head</u> | | | | | |
| #2 Teks® Point | | | | | |
| 8 x 7/16" x 1/4" | | 9610 | 100 | | |
| 8 x 1/2" x 1/4" | | 9611 | 100 | 16039 | 100 |
| 8 x 3/4" x 1/4" | | 9612 | 100 | 16040 | 100 |
| 8 x 1" x 1/4" | | 11906 | 100 | 16041 | 50 |
| 8 x 1-1/4" x 1/4" | | 11907 | 50 | | |
| 8 x 1-1/2" x 1/4" | | 11908 | 50 | | |
| 10 x 1/2" x 5/16" | | 9613 | 100 | 16042 | 50 |
| 10 x 5/8" x 5/16" | | 9614 | 100 | | |
| 10 x 3/4" x 5/16" | | 9615 | 100 | 16043 | 50 |
| 10 x 1" x 5/16" | | 9616 | 100 | 16044 | 50 |
| <u>Super Teks® - Hex Washer Head</u> | | | | | |
| #3 Teks® Point | | | | | |
| 10 x 1-1/4" x 5/16" | | 11909 | 50 | | |
| 10 x 1-1/2" x 5/16" | | 11910 | 50 | | |
| 12 x 3/4" x 5/16" | | 9617 | 100 | | |
| 12 x 1" x 5/16" | | 11911 | 25 | | |
| 12 x 1-1/4" x 5/16" | | 11912 | 25 | | |
| 12 x 1-1/2" x 5/16" | | 11913 | 25 | | |
| 14 x 3/4" x 3/8" | | 9620 | 100 | | |
| 14 x 1" x 3/8" | | 11914 | 25 | | |
| 14 x 1-1/4" x 3/8" | | 11915 | 25 | | |
| 14 x 1-1/2" x 3/8" | | 11916 | 25 | | |

| Teks® Point Material Thickness | | |
|--------------------------------|---------------|---------------|
| Screw Size | #2 Point | #3 Point |
| #8 | .035" - .100" | .100" - .140" |
| #10 | .035" - .110" | .110" - .175" |
| #12 | .035" - .140" | .110" - .210" |
| #14 | .035" - .175" | .110" - .210" |

For an assortment of Teks® Tapping Screws see Fix-Kit No. 6144 in the green pages.



Indented Hex Head Tapping Screws Bright Zinc Chromate

| Auveco Part No. | Size | Hex Size | Unit Pkg. |
|-----------------|---------------|----------|-----------|
| 2368 | 8 x 3/8" | 1/4" | 100 |
| 2389 | 8 x 1/2" | 1/4" | 100 |
| 5676 | 8 x 5/8" | 1/4" | 100 |
| 2485 | 8 x 3/4" | 1/4" | 100 |
| 2486 | 8 x 1" | 1/4" | 100 |
| 3212 | 8 x 1-1/4" | 1/4" | 100 |
| 8011 | 10 x 1/2" | 5/16" | 100 |
| 2487 | 10 x 3/4" | 5/16" | 100 |
| 2488 | 10 x 1" | 5/16" | 100 |
| 3214 | 10 x 1-1/4" | 5/16" | 100 |
| 3215 | 10 x 1-1/2" | 5/16" | 100 |
| 1780 | 12 x 1/2" | 5/16" | 100 |
| 2107 | 12 x 3/4" | 5/16" | 100 |
| 3216 | 12 x 1" | 5/16" | 100 |
| 3217 | 12 x 1-1/4" | 5/16" | 100 |
| 5682 | 12 x 2" | 5/16" | 100 |
| 2012 | 14 x 1/2" | 3/8" | 100 |
| 2391 | 14 x 5/8" | 3/8" | 100 |
| 1781 | 14 x 3/4" | 3/8" | 100 |
| 2109 | 14 x 3/4" | 7/16" | 100 |
| 2266 | 14 x 1" | 7/16" | 100 |
| 2267 | 14 x 1-1/4" | 7/16" | 100 |
| 3219 | 14 x 1-1/2" | 7/16" | 100 |
| 5685 | 14 x 2" | 7/16" | 100 |
| 2110 | 5/16 x 3/4" | 1/2" | 100 |
| 2268 | 5/16 x 1" | 1/2" | 100 |
| 2269 | 5/16 x 1-1/4" | 1/2" | 100 |
| 3220 | 5/16 x 1-1/2" | 1/2" | 100 |
| 5690 | 5/16 x 2" | 1/2" | 100 |
| 5329 | 3/8 x 3/4" | 9/16" | 50 |
| 5330 | 3/8 x 1" | 9/16" | 50 |
| 5331 | 3/8 x 1-1/4" | 9/16" | 50 |
| 5332 | 3/8 x 1-1/2" | 9/16" | 50 |



Phillips Oval Head Teks® Tapping Screws

Phosphate

| Auveco Part No. | Size | Unit Pkg. |
|-----------------|------------------|-----------|
| 16735 | 8 x 3/4" 6 Hd. | 100 |
| 16736 | 8 x 1" 6 Hd. | 50 |
| 16737 | 8 x 1-1/4" 6 Hd. | 50 |

TAPPING SCREWS

Listed According To Size



Hexagon Washer Head
Tapping Screws
(Washer Attached Solid To Head)

| Size | Hex Size | Zinc Part No. | Unit Pkg. | Bk Oxide Part No. | Unit Pkg. |
|---------------|----------|---------------|-----------|-------------------|-----------|
| 10 x 1/2" | 5/16" | 2369 | 100 | 16149 | 100 |
| 10 x 5/8" | 5/16" | 2809 | 100 | | |
| 12 x 5/8" | 5/16" | 2967 | 100 | | |
| 12 x 3/4" | 5/16" | 2968 | 100 | | |
| 12 x 1" | 5/16" | 2969 | 100 | | |
| 14 x 1/2" | 3/8" | 9825 | 100 | | |
| 14 x 5/8" | 3/8" | 2370 | 100 | | |
| 14 x 3/4" | 3/8" | 2330 | 100 | 16152 | 100 |
| 14 x 3/4" | 7/16" | 2973 | 100 | | |
| 14 x 1" | 3/8" | 2974 | 100 | | |
| 14 x 1-1/4" | 7/16" | 2975 | 100 | | |
| 14 x 1-1/2" | 3/8" | 2976 | 100 | | |
| 5/16 x 5/8" | 7/16" | 2977 | 100 | | |
| 5/16 x 3/4" | 7/16" | 2978 | 100 | | |
| 5/16 x 1" | 7/16" | 2979 | 100 | | |
| 5/16 x 1-1/4" | 7/16" | 2980 | 100 | | |
| 5/16 x 1-1/2" | 7/16" | 2981 | 100 | | |



Hexagon Head Sems®
Tapping Screws
(Washer Loose From Head)

Bright Zinc Chromate

| Auveco Part No. | Size | Hex Size | Washer O.D. | Unit Pkg. |
|-----------------|---------------|----------|-------------|-----------|
| 2983 | 12 x 3/4" | 7/16" | 5/8" | 100 |
| 2604 | 14 x 3/4" | 3/8" | 5/8" | 100 |
| 2988 | 14 x 3/4" | 7/16" | 21/32" | 100 |
| 2605 | 14 x 1" | 3/8" | 21/32" | 100 |
| 2989 | 14 x 1" | 7/16" | 21/32" | 100 |
| 2991 | 14 x 1-1/2" | 7/16" | 21/32" | 100 |
| 2994 | 5/16 x 1" | 7/16" | 11/16" | 100 |
| 2996 | 5/16 x 1-1/2" | 7/16" | 11/16" | 100 |



Slotted Hexagon Head
Tapping Screws

Bright Zinc Chromate

| Auveco Part No. | Size | Hex Size | Unit Pkg. |
|-----------------|-----------|----------|-----------|
| 3342 | 6 x 3/4" | 1/4" | 100 |
| 3350 | 8 x 1" | 1/4" | 100 |
| 3352 | 10 x 3/8" | 5/16" | 100 |



Slotted Hexagon Washer Head
Tapping Screws

Bright Zinc Chromate

| Auveco Part No. | Size | Hex Size | Unit Pkg. |
|-----------------|-------------|----------|-----------|
| 3367 | 6 x 3/8" | 1/4" | 100 |
| 3368 | 6 x 1/2" | 1/4" | 100 |
| 3369 | 6 x 5/8" | 1/4" | 100 |
| 3370 | 6 x 3/4" | 1/4" | 100 |
| 3373 | 8 x 3/8" | 1/4" | 100 |
| 3374 | 8 x 1/2" | 1/4" | 100 |
| 3375 | 8 x 5/8" | 1/4" | 100 |
| 3376 | 8 x 3/4" | 1/4" | 100 |
| 3378 | 8 x 1" | 1/4" | 100 |
| 3379 | 8 x 1-1/4" | 1/4" | 100 |
| 3380 | 10 x 3/8" | 5/16" | 100 |
| 3381 | 10 x 1/2" | 5/16" | 100 |
| 3382 | 10 x 5/8" | 5/16" | 100 |
| 3383 | 10 x 3/4" | 5/16" | 100 |
| 3385 | 10 x 1" | 5/16" | 100 |
| 3386 | 10 x 1-1/4" | 5/16" | 100 |
| 3387 | 10 x 1-1/2" | 5/16" | 100 |
| 3388 | 12 x 1/2" | 5/16" | 100 |
| 3389 | 12 x 5/8" | 5/16" | 100 |
| 3390 | 12 x 3/4" | 5/16" | 100 |
| 3392 | 12 x 1" | 5/16" | 100 |
| 3393 | 12 x 1-1/4" | 5/16" | 100 |
| 3394 | 12 x 1-1/2" | 5/16" | 100 |

SCREWS



Drill Screws

Bright Zinc Chromate
Pinch Point Slotted Hex Washer Head
Tapping Screws

| Auveco Part No. | Size | Hex Size | Unit Pkg. |
|-----------------|----------|----------|-----------|
| 3367 | 6 x 3/8" | 1/4" | 100 |
| 3374 | 8 x 1/2" | 1/4" | 100 |
| 3376 | 8 x 3/4" | 1/4" | 100 |


Use Auveco Magnetic Socket Tool No. 7767



Self-Piercing Screws Zinc

For material thickness up to .060
Use with magnetic chuck 7767

| Auveco Part No. | Size | Hex Size | Unit Pkg. |
|-----------------|-----------|----------|-----------|
| 12365 | 7 x 1/2" | 1/4" | 100 |
| 12367 | 8 x 5/8" | 1/4" | 100 |
| 12368 | 8 x 3/4" | 1/4" | 50 |
| 12369 | 10 x 1/2" | 1/4" | 50 |
| 12370 | 10 x 3/4" | 1/4" | 50 |



Hex Head Lag Screws Zinc Plated

| Auveco Part No. | Size | Hex Size | Unit Pkg. |
|-----------------|---------------|----------|-----------|
| 9085 | 1/4 x 2" | 7/16" | 50 |
| 9087 | 1/4 x 3" | 7/16" | 50 |
| 9090 | 5/16 x 2" | 1/2" | 50 |
| 9091 | 5/16 x 2-1/2" | 1/2" | 50 |
| 9092 | 5/16 x 3" | 1/2" | 50 |
| 9100 | 3/8 x 4" | 9/16" | 25 |

WOOD SCREWS

Sec. 1



Plain Brass Phillips Flat Head Wood Screws

| Auveco Part No. | Size | Unit Pkg. |
|-----------------|------------|-----------|
| 3565 | 4 x 1/2" | 100 |
| 3566 | 4 x 3/4" | 100 |
| 3571 | 6 x 1-1/4" | 100 |



Phillips Flat Head Wood Screws Steel - Zinc Plated

| Auveco Part No. | Size | Unit Pkg. |
|-----------------|-------------|-----------|
| 9555 | 6 x 1/2" | 100 |
| 9556 | 6 x 3/4" | 100 |
| 9557 | 6 x 1" | 100 |
| 9564 | 8 x 3/4" | 100 |
| 9565 | 8 x 1" | 100 |
| 9566 | 8 x 1-1/4" | 100 |
| 9568 | 8 x 1-3/4" | 100 |
| 9569 | 10 x 3/4" | 100 |
| 9570 | 10 x 1" | 100 |
| 9571 | 10 x 1-1/4" | 100 |
| 9572 | 10 x 1-1/2" | 100 |
| 9575 | 12 x 1" | 100 |
| 9576 | 12 x 1-1/4" | 100 |
| 9577 | 12 x 1-1/2" | 100 |
| 9578 | 12 x 2" | 100 |
| 9581 | 14 x 1-1/2" | 100 |
| 9582 | 14 x 2" | 100 |

Sec. 1

CONSTRUCTION SCREWS



Fastener For Sheet Metal To Structure
 Tek[®] With Neo Bond[®] Washers
 For Overlap
 Structural Application

Steel Zinc Plated
 Use Magnetic Chuck

| Auveco Part No. | Size | Washer O.D. | Unit Pkg. |
|-----------------|-----------------------------------|-------------|-----------|
| 11205 | #2 Tek [®] 12-14 x 1" | 5/8" | 50 |
| 11206 | #3 Tek [®] 1/4-14 x 3/4" | 5/8" | 50 |

Do You Want Your Customers To
 Know You Use The Best Body
 Hardware & Specialty Fasteners
 Available?

Promotional Products And Apparel
 Bearing The  Logo Promote Your
 Identity As A Professional.

MACHINE SCREWS

Listed According To Size



Phillips Oval Head Machine Screws

| Size | Chrome Part No. | Zinc Part No. | Unit Pkg. |
|-----------------|-----------------|---------------|-----------|
| 6-32 x 3/8" | | 16362 | 100 |
| 6-32 x 1/2" | | 16363 | 100 |
| 6-32 x 3/4" | | 16364 | 100 |
| 6-32 x 1-1/4" | | 16365 | 100 |
| 8-32 x 1/2" | 2299 | 16368 | 100 |
| 8-32 x 3/4" | | 16369 | 100 |
| 8-32 x 3/4" | 6 Hd. 1863 | | 100 |
| 8-32 x 1" | | 16370 | 100 |
| 8-32 x 1-1/4" | | 16371 | 100 |
| 8-32 x 1-1/2" | | 16372 | 50 |
| 10-24 x 1/2" | | 1877 | 100 |
| 10-24 x 3/4" | 1934 | 16375 | 100 |
| 10-24 x 1" | | 16376 | 100 |
| 10-24 x 1-1/4" | | 16377 | 100 |
| 10-24 x 1-1/2" | | 16378 | 100 |
| 10-32 x 3/8" | | 16379 | 100 |
| 10-32 x 1/2" | | 16380 | 100 |
| 10-32 x 3/4" | | 16381 | 100 |
| 10-32 x 1" | 8 Hd. 1413 | | 100 |
| 10-32 x 1" | | 16382 | 100 |
| 10-32 x 1-1/4" | | 16383 | 50 |
| 10-32 x 1-1/2" | | 16384 | 50 |
| 12-24 x 1/2" | 16528 | | 50 |
| 12-24 x 1" | 16530 | | 50 |
| 1/4-20 x 1/2" | | 16385 | 50 |
| 1/4-20 x 3/4" | | 16386 | 50 |
| 1/4-20 x 1" | | 16387 | 50 |
| 1/4-20 x 1-1/4" | | 16388 | 50 |
| 1/4-20 x 1-1/2" | | 16389 | 50 |



**Slotted Oval Head Machine Screws
 Zinc Plated**

| Auveco Part No. | Size | Unit Pkg. |
|-----------------|----------------|-----------|
| 2354 | 10-24 x 1-1/2" | 100 |